

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	4	("5,694,474") or ("5,761,383") or ("6,107,963") or ("6,272,479")).PN.	US-PGPUB; USPAT	OR	OFF	2005/02/05 17:15



Welcome to IEEE Xplore®

- Home
- What Can I Access?
- Log-out

Tables of Contents

- Journals & Magazines
- Conference Proceedings
- Standards

Search

- By Author
- Basic
- Advanced
- CrossRef

Member Services

- Join IEEE
- Establish IEEE Web Account
- Access the IEEE Member Digital Library

IEEE Enterprise

- Access the IEEE Enterprise File Cabinet

 Print Format

Your search matched **87** of **1123491** documents.
A maximum of **500** results are displayed, **15** to a page, sorted by **Relevance** in **Descending** order.

Refine This Search:

You may refine your search by editing the current search expression or entering a new one in the text box.

Check to search within this result set

Results Key:

JNL = Journal or Magazine **CNF** = Conference **STD** = Standard

1 Genetic algorithm approach for the optimization of multiplierless sub-filters generated by the frequency-response masking technique

Ya Jun Yu; Yong Ching Lim;

Electronics, Circuits and Systems, 2002. 9th International Conference on, Volume: 3, 15-18 Sept. 2002

Pages: 1163 - 1166 vol.3

[\[Abstract\]](#) [\[PDF Full-Text \(340 KB\)\]](#) **IEEE CNF**

2 Design of 2-D multiplierless IIR filters using the genetic algorithm

Thamvichai, R.; Bose, T.; Haupt, R.L.;

Circuits and Systems I: Fundamental Theory and Applications, IEEE Transactions on [see also Circuits and Systems I: Regular Papers, IEEE Transactions on], Volume: 49, Issue: 6, June 2002

Pages: 878 - 882

[\[Abstract\]](#) [\[PDF Full-Text \(296 KB\)\]](#) **IEEE JNL**

3 Design of 2-D multiplierless filters using the genetic algorithm

Thamvichai, R.; Bose, T.; Haupt, R.L.;

Signals, Systems and Computers, 2001. Conference Record of the Thirty-Fifth Asilomar Conference on, Volume: 1, 4-7 Nov. 2001

Pages: 588 - 591 vol.1

[\[Abstract\]](#) [\[PDF Full-Text \(267 KB\)\]](#) **IEEE CNF**

4 Coefficient sensitivity of polynomial-predictive FIR differentiators: design for short word length

Tanskanen, J.M.A.; Ovaska, S.J.;

Circuits and Systems, 1999. 42nd Midwest Symposium on, Volume: 1, 8-11 Aug.

1999

Pages:520 - 523 vol. 1

[\[Abstract\]](#) [\[PDF Full-Text \(416 KB\)\]](#) [IEEE CNF](#)

5 A genetic algorithm for optimisation of linear phase FIR filter coefficients

Oner, M.;

Signals, Systems & Computers, 1998. Conference Record of the Thirty-Second Asilomar Conference on , Volume: 2 , 1-4 Nov. 1998

Pages:1397 - 1400 vol.2

[\[Abstract\]](#) [\[PDF Full-Text \(240 KB\)\]](#) [IEEE CNF](#)

6 Optimization of FIR digital filters over the canonical signed-digit coefficient space using genetic algorithms

Fuller, A.T.G.; Nowrouzian, B.; Ashrafzadeh, F.;

Circuits and Systems, 1998. Proceedings. 1998 Midwest Symposium on , 9-12 Aug. 1998

Pages:456 - 459

[\[Abstract\]](#) [\[PDF Full-Text \(80 KB\)\]](#) [IEEE CNF](#)

7 Extrapolation for compressed coefficient's band-pass delay time characteristics by using genetic-algorithm on the DCT

Suzuki, T.; Tomiyama, S.;

Signal Processing Proceedings, 2000. WCCC-ICSP 2000. 5th International Conference on , Volume: 3 , 21-25 Aug. 2000

Pages:1643 - 1646 vol.3

[\[Abstract\]](#) [\[PDF Full-Text \(192 KB\)\]](#) [IEEE CNF](#)

8 A filter-coefficient quantization method with genetic algorithm

Haseyama, M.; Kitajima, H.;

Circuits and Systems, 1999. ISCAS '99. Proceedings of the 1999 IEEE International Symposium on , Volume: 3 , 30 May-2 June 1999

Pages:399 - 402 vol.3

[\[Abstract\]](#) [\[PDF Full-Text \(252 KB\)\]](#) [IEEE CNF](#)

9 Genetic algorithm assisted joint multiuser symbol detection and fading channel estimation for synchronous CDMA systems

Kai Yen; Hanzo, L.;

Selected Areas in Communications, IEEE Journal on , Volume: 19 , Issue: 6 , June 2001

Pages:985 - 998

[\[Abstract\]](#) [\[PDF Full-Text \(280 KB\)\]](#) [IEEE JNL](#)

10 Genetic approach to design of multiplierless FIR filters

Cemes, R.; Ait-Boudaoud, D.;

Electronics Letters , Volume: 29 , Issue: 24 , 25 Nov. 1993

Pages:2090 - 2091

[\[Abstract\]](#) [\[PDF Full-Text \(144 KB\)\]](#) [IEEE JNL](#)

11 Performance estimation techniques for power system dynamic stability using least squares, Kalman filtering and genetic algorithms

Feilat, E.A.;

Southeastcon 2000. Proceedings of the IEEE , 7-9 April 2000

Pages:489 - 492

[\[Abstract\]](#) [\[PDF Full-Text \(284 KB\)\]](#) [IEEE CNF](#)

12 Optimization of polynomial predictive IIR filters using genetic algorithms

Harju, P.T.; Ovaska, S.J.;

Signal Processing, 1996., 3rd International Conference on , Volume: 1 , 14-18 Oct. 1996

Pages:68 - 71 vol.1

[\[Abstract\]](#) [\[PDF Full-Text \(352 KB\)\]](#) [IEEE CNF](#)

13 Design of 2-D state-space digital filters with powers-of-two coefficients based on a genetic algorithm

Young-Ho Lee; Kawamata, M.; Higuchi, T.;

Image Processing, 1995. Proceedings., International Conference on , Volume: 2 , 23-26 Oct. 1995

Pages:133 - 136 vol.2

[\[Abstract\]](#) [\[PDF Full-Text \(324 KB\)\]](#) [IEEE CNF](#)

14 Automating IIR filter design by genetic algorithm

Harris, S.P.; Ifeatchor, E.C.;

Genetic Algorithms in Engineering Systems: Innovations and Applications, 1995. GALESIA. First International Conference on (Conf. Publ. No. 446) , 12-14 Sep 1995

Pages:271 - 275

[\[Abstract\]](#) [\[PDF Full-Text \(320 KB\)\]](#) [IEE CNF](#)

15 Multiplierless perfect reconstruction modulated filter banks with sum-of-powers-of-two coefficients

Chan, S.C.; Liu, W.; Ho, K.L.;

Signal Processing Letters, IEEE , Volume: 8 , Issue: 6 , June 2001

Pages:163 - 166

[\[Abstract\]](#) [\[PDF Full-Text \(116 KB\)\]](#) [IEEE JNL](#)

[1](#) [2](#) [3](#) [4](#) [5](#) [6](#) [Next](#)



Welcome to IEEE Xplore®

- Home
- What Can I Access?
- Log-out

Tables of Contents

- Journals & Magazines
- Conference Proceedings
- Standards

Search

- By Author
- Basic
- Advanced
- CrossRef

Member Services

- Join IEEE
- Establish IEEE Web Account
- Access the IEEE Member Digital Library

IEEE Enterprise

- Access the IEEE Enterprise File Cabinet

 Print Format

Your search matched **87** of **1123491** documents.
A maximum of **500** results are displayed, **15** to a page, sorted by **Relevance** in **Descending** order.

Refine This Search:

You may refine your search by editing the current search expression or entering a new one in the text box.

Check to search within this result set

Results Key:

JNL = Journal or Magazine **CNF** = Conference **STD** = Standard

16 Automatic design of frequency sampling filters by hybrid genetic algorithm techniques

Harris, S.P.; Ifeachor, E.C.;

Signal Processing, IEEE Transactions on [see also Acoustics, Speech, and Signal Processing, IEEE Transactions on] , Volume: 46 , Issue: 12 , Dec. 1998

Pages:3304 - 3314

[\[Abstract\]](#) [\[PDF Full-Text \(164 KB\)\]](#) **IEEE JNL**

17 Parallel genetic algorithm based unsupervised scheme for extraction of power frequency signals in the steel industry

Nanda, P.K.; Ghose, B.; Swain, T.N.;

Vision, Image and Signal Processing, IEE Proceedings- , Volume: 149 , Issue: 4 , Aug. 2002

Pages:204 - 210

[\[Abstract\]](#) [\[PDF Full-Text \(520 KB\)\]](#) **IEE JNL**

18 Design of variable fractional delay FIR filters using genetic algorithm

Khamei, K.E.; Nabavi, A.; Hessabi, S.;

Electronics, Circuits and Systems, 2003. ICECS 2003. Proceedings of the 2003 10th IEEE International Conference on , Volume: 1 , 14-17 Dec. 2003

Pages:48 - 51 Vol.1

[\[Abstract\]](#) [\[PDF Full-Text \(1528 KB\)\]](#) **IEEE CNF**

19 Design of signal word decomposed filters with canonical-signed digit coefficients

Tanaka, M.; Nishihara, A.;

TENCON 2000. Proceedings , Volume: 1 , 24-27 Sept. 2000

Pages:482 - 486 vol.1

[\[Abstract\]](#) [\[PDF Full-Text \(368 KB\)\]](#) [IEEE CNF](#)

20 Perfect reconstruction modulated filter banks with sum of powers-of-two coefficients

Chan, S.C.; Liu, W.; Ho, K.I.;

Circuits and Systems, 2000. Proceedings. ISCAS 2000 Geneva. The 2000 IEEE International Symposium on , Volume: 2 , 28-31 May 2000

Pages:73 - 76 vol.2

[\[Abstract\]](#) [\[PDF Full-Text \(264 KB\)\]](#) [IEEE CNF](#)

21 Improved power-of-two sharpening filter design by genetic algorithm

Gentili, P.; Piazza, F.; Uncini, A.;

Acoustics, Speech, and Signal Processing, 1996. ICASSP-96. Conference Proceedings., 1996 IEEE International Conference on , Volume: 3 , 7-10 May 1996

Pages:1375 - 1378 vol. 3

[\[Abstract\]](#) [\[PDF Full-Text \(292 KB\)\]](#) [IEEE CNF](#)

22 Evolving discrete coefficient modified filter banks

Muppala, N.K.; Rao, S.S.;

Acoustics, Speech, and Signal Processing, 2002. Proceedings. (ICASSP '02). IEEE International Conference on , Volume: 4 , 13-17 May 2002

Pages:IV-4169 vol.4

[\[Abstract\]](#) [\[PDF Full-Text \(194 KB\)\]](#) [IEEE CNF](#)

23 Adaptive linear prediction with power-of-two coefficients

Venkatachalam, A.; Bose, T.; Thamvichai, R.;

Signals, Systems and Computers, 2001. Conference Record of the Thirty-Fifth Asilomar Conference on , Volume: 1 , 4-7 Nov. 2001

Pages:533 - 537 vol.1

[\[Abstract\]](#) [\[PDF Full-Text \(349 KB\)\]](#) [IEEE CNF](#)

24 GA-based design of multiplierless 2-D state-space digital filters with low roundoff noise

Lee, Y.H.; Kawamata, M.; Higuchi, T.;

Circuits, Devices and Systems, IEE Proceedings [see also IEE Proceedings G-Circuits, Devices and Systems] , Volume: 145 , Issue: 2 , April 1998

Pages:118 - 124

[\[Abstract\]](#) [\[PDF Full-Text \(688 KB\)\]](#) [IEE JNL](#)

25 Extrapolation for band-pass delay time characteristics by using genetic algorithm on DCT

Suzuki, T.; Tomiyama, S.;

Electronics, Circuits and Systems, 2000. ICECS 2000. The 7th IEEE International Conference on , Volume: 2 , 17-20 Dec. 2000

Pages:983 - 986 vol.2

[\[Abstract\]](#) [\[PDF Full-Text \(196 KB\)\]](#) [IEEE CNF](#)

26 Extrapolation for band-pass characteristics by using genetic algorithm on the DCT

Suzuki, T.; Tomiyama, S.;

ASICs, 1999. AP-ASIC '99. The First IEEE Asia Pacific Conference on , 23-25 Aug. 1999

Pages:254 - 257

[\[Abstract\]](#) [\[PDF Full-Text \(184 KB\)\]](#) [IEEE CNF](#)

27 Efficient genetic algorithm design for power-of-two FIR filters

Gentili, P.; Piazza, F.; Uncini, A.;

Acoustics, Speech, and Signal Processing, 1995. ICASSP-95., 1995 International Conference on , Volume: 2 , 9-12 May 1995

Pages:1268 - 1271 vol.2

[\[Abstract\]](#) [\[PDF Full-Text \(296 KB\)\]](#) [IEEE CNF](#)

28 Design of 2D error feedback network based on combinational optimization of coefficients sets

Nakamoto, M.; Hinamoto, T.; Sano, T.;

Circuits and Systems, 2004. MWSCAS '04. The 2004 47th Midwest Symposium on , Volume: 2 , 25-28 July 2004

Pages:II-81 - II-84 vol.2

[\[Abstract\]](#) [\[PDF Full-Text \(409 KB\)\]](#) [IEEE CNF](#)

29 Low-delay perfect reconstruction two-channel FIR/IIR filter banks and wavelet bases with SOPOT coefficients

Liu, W.; Chan, S.C.; Ho, K.L.;

Acoustics, Speech, and Signal Processing, 2000. ICASSP '00. Proceedings. 2000 IEEE International Conference on , Volume: 1 , 5-9 June 2000

Pages:109 - 112 vol.1

[\[Abstract\]](#) [\[PDF Full-Text \(288 KB\)\]](#) [IEEE CNF](#)

30 Low complexity two-dimensional digital filters using unconstrained SPT term allocation

Sriranganathan, S.; Bull, D.R.; Redmill, D.W.;

Circuits and Systems, 1996. ISCAS '96., 'Connecting the World'., 1996 IEEE International Symposium on , Volume: 2 , 12-15 May 1996

Pages:762 - 765 vol.2

[\[Abstract\]](#) [\[PDF Full-Text \(276 KB\)\]](#) [IEEE CNF](#)

[Prev](#) [1](#) [2](#) [3](#) [4](#) [5](#) [6](#) [Next](#)



Welcome to IEEE Xplore®

- Home
- What Can I Access?
- Log-out

Tables of Contents

- Journals & Magazines
- Conference Proceedings
- Standards

Search

- By Author
- Basic
- Advanced
- CrossRef

Member Services

- Join IEEE
- Establish IEEE Web Account
- Access the IEEE Member Digital Library

IEEE Enterprise

- Access the IEEE Enterprise File Cabinet

 Print Format

Your search matched **87** of **1123491** documents.
A maximum of **500** results are displayed, **15** to a page, sorted by **Relevance** in **Descending** order.

Refine This Search:

You may refine your search by editing the current search expression or entering a new one in the text box.

Check to search within this result set

Results Key:

JNL = Journal or Magazine **CNF** = Conference **STD** = Standard

31 Dynamic signature analysis using minimum spectral features

Tham Heng Keit; Raveendran, P.; Takeda, F.; Yoshida, Y.;
Neural Networks, 2002. IJCNN '02. Proceedings of the 2002 International Joint Conference on, Volume: 2, 12-17 May 2002
Pages:1281 - 1286

[\[Abstract\]](#) [\[PDF Full-Text \(516 KB\)\]](#) **IEEE CNF**

32 Efficient hybrid optimization of fixed-point cascaded IIR filter coefficients

Vanuytsel, G.; Boets, P.; Van Biesen, L.; Temmerman, S.;
Instrumentation and Measurement Technology Conference, 2002. IMTC/2002. Proceedings of the 19th IEEE, Volume: 1, 21-23 May 2002
Pages:793 - 797 vol.1

[\[Abstract\]](#) [\[PDF Full-Text \(492 KB\)\]](#) **IEEE CNF**

33 Design of high throughput 2D FIR filters using singular value decomposition (SVD) and genetic algorithms

Williams, T.; Ahmadi, M.; Hashemian, R.; Miller, W.C.;
Communications, Computers and signal Processing, 2001. PACRIM. 2001 IEEE Pacific Rim Conference on, Volume: 2, 26-28 Aug. 2001
Pages:571 - 574 vol.2

[\[Abstract\]](#) [\[PDF Full-Text \(328 KB\)\]](#) **IEEE CNF**

34 Design of low complexity FIR filters using genetic algorithms and directed graphs

Redmill, D.W.; Bull, D.R.;
Genetic Algorithms In Engineering Systems:Innovations And Applications, 1997.

GALESIA 97. Second International Conference On (Conf. Publ. No. 446) , 2-4 Sept. 1997
Pages:168 - 173

[\[Abstract\]](#) [\[PDF Full-Text \(544 KB\)\]](#) [IEE CNF](#)

35 Multiplier-less FIR filter design with power-of-two coefficients

Cemes, R.; Ait-Boudaoud, D.;

Digital and Analogue Filters and Filtering Systems, IEE Colloquium on , 2 Nov 1993
Pages:6/1 - 6/4

[\[Abstract\]](#) [\[PDF Full-Text \(216 KB\)\]](#) [IEE CNF](#)

36 The genetic search approach. A new learning algorithm for adaptive IIR filtering

Ng, S.C.; Leung, S.H.; Chung, C.Y.; Luk, A.; Lau, W.H.;

Signal Processing Magazine, IEEE , Volume: 13 , Issue: 6 , Nov. 1996

Pages:38 - 46

[\[Abstract\]](#) [\[PDF Full-Text \(2816 KB\)\]](#) [IEEE JNL](#)

37 Recursive adaptive filter design using an adaptive genetic algorithm

Etter, D.; Hicks, M.; Cho, K.;

Acoustics, Speech, and Signal Processing, IEEE International Conference on ICASSP '82. , Volume: 7 , May 1982

Pages:635 - 638

[\[Abstract\]](#) [\[PDF Full-Text \(70 KB\)\]](#) [IEEE CNF](#)

38 Multiplierless algorithms for high-speed real-time onboard image processing

Rocha, K.; Venkatachalam, A.; Bose, T.; Haupt, R.L.;

Aerospace Conference Proceedings, 2002. IEEE , Volume: 4 , 9-16 March 2002

Pages:4-1891 - 4-1898 vol.4

[\[Abstract\]](#) [\[PDF Full-Text \(1245 KB\)\]](#) [IEEE CNF](#)

39 Genetically optimized neuro-fuzzy IPFC for damping modal oscillations of power system

Mishra, S.; Dash, P.K.; Hota, P.K.; Tripathy, M.;

Power Systems, IEEE Transactions on , Volume: 17 , Issue: 4 , Nov. 2002

Pages:1140 - 1147

[\[Abstract\]](#) [\[PDF Full-Text \(517 KB\)\]](#) [IEEE JNL](#)

40 Design of resonant-cavity-enhanced photodetectors using genetic algorithms

Jervase, J.A.; Bourdoucen, H.;

Quantum Electronics, IEEE Journal of , Volume: 36 , Issue: 3 , March 2000

Pages:325 - 332

[\[Abstract\]](#) [\[PDF Full-Text \(184 KB\)\]](#) [IEEE JNL](#)

41 GA-based noisy speech recognition using two-dimensional cepstrum
Chin-Teng Lin; Hsi-Wen Nein; Jiing-Yuan Hwu;
Speech and Audio Processing, IEEE Transactions on , Volume: 8 , Issue: 6 , Nov. 2000
Pages:664 - 675

[\[Abstract\]](#) [\[PDF Full-Text \(232 KB\)\]](#) [IEEE JNL](#)

42 Synthesis of low-sensitivity second-order digital filters using genetic programming with automatically defined functions
Uesaka, K.; Kawamata, M.;
Signal Processing Letters, IEEE , Volume: 7 , Issue: 4 , April 2000
Pages:83 - 85

[\[Abstract\]](#) [\[PDF Full-Text \(52 KB\)\]](#) [IEEE JNL](#)

43 Genetic synthesis of reduced complexity filters and filter banks using primitive operator directed graphs
Redmill, D.W.; Bull, D.R.; Dagless, E.;
Circuits, Devices and Systems, IEE Proceedings [see also IEE Proceedings G-Circuits, Devices and Systems] , Volume: 147 , Issue: 5 , Oct. 2000
Pages:303 - 310

[\[Abstract\]](#) [\[PDF Full-Text \(804 KB\)\]](#) [IEE JNL](#)

44 Direct approach to design of PCAS filters with combined gain and phase specification
Lawson, S.;
Vision, Image and Signal Processing, IEE Proceedings- , Volume: 141 , Issue: 3 , June 1994
Pages:161 - 167

[\[Abstract\]](#) [\[PDF Full-Text \(392 KB\)\]](#) [IEE JNL](#)

45 Design of digital filters for low power applications by reducing the Hamming distance of the filter coefficients using mean field annealing algorithm
Aktan, M.; Cini, U.; Dundar, G.;
Signal Processing and Communications Applications Conference, 2004. Proceedings of the IEEE 12th , 28-30 April 2004
Pages:646 - 648

[\[Abstract\]](#) [\[PDF Full-Text \(284 KB\)\]](#) [IEEE CNF](#)

[Prev](#) [1](#) [2](#) [3](#) [4](#) [5](#) [6](#) [Next](#)

Welcome to IEEE Xplore®

- Home
- What Can I Access?
- Log-out

Tables of Contents

- Journals & Magazines
- Conference Proceedings
- Standards

Search

- By Author
- Basic
- Advanced
- CrossRef

Member Services

- Join IEEE
- Establish IEEE Web Account
- Access the IEEE Member Digital Library

IEEE Enterprise

- Access the IEEE Enterprise File Cabinet

 Print Format

Your search matched **87** of **1123491** documents.
A maximum of **500** results are displayed, **15** to a page, sorted by **Relevance** in **Descending** order.

Refine This Search:

You may refine your search by editing the current search expression or entering a new one in the text box.

Check to search within this result set

Results Key:

JNL = Journal or Magazine CNF = Conference STD = Standard

46 Genetic algorithm to fixed-order H₂/H_{inf} adaptive filter for leak detecting signal of pipeline

Shuxian Lun; Huaguang Zhang;
Intelligent Control and Automation, 2004. WCICA 2004. Fifth World Congress on, Volume: 2, 15-19 June 2004
Pages: 1601 - 1605 Vol.2

[\[Abstract\]](#) [\[PDF Full-Text \(462 KB\)\]](#) IEEE CNF

47 Complexity reduction of high-speed FIR filters using micro-genetic algorithm

Ling Cen; Yong Lian;
Control, Communications and Signal Processing, 2004. First International Symposium on, 2004
Pages: 419 - 422

[\[Abstract\]](#) [\[PDF Full-Text \(1495 KB\)\]](#) IEEE CNF

48 The combination of genetic algorithm and variable step-size algorithm for adaptive IIR notch filter

Benjangkaprasert, C.; Jorphochaudom, S.; Chompo, S.; Sangaroon, O.; Janchitrapongvej, K.;
Neural Networks and Signal Processing, 2003. Proceedings of the 2003 International Conference on, Volume: 1, 14-17 Dec. 2003
Pages: 480 - 483 Vol.1

[\[Abstract\]](#) [\[PDF Full-Text \(328 KB\)\]](#) IEEE CNF

49 A genetic algorithm for the design of low power high-speed FIR filters

Lian, Y.; Cen, L.;

Signal Processing and Its Applications, 2003. Proceedings. Seventh International Symposium on , Volume: 1 , 1-4 July 2003
Pages:181 - 184 vol.1

[\[Abstract\]](#) [\[PDF Full-Text \(331 KB\)\]](#) [IEEE CNF](#)

50 Fast convergence algorithm for adaptive IIR notch filter using combination of genetic search and variable step-size algorithm
Benjangkaprasert, C.; Phuvasitkul, S.; Limwong, W.; Janchitrapongvej, K.;
Intelligent Transportation Systems, 2003. Proceedings. 2003 IEEE , Volume: 2 , 12-15 Oct. 2003
Pages:948 - 952 vol.2

[\[Abstract\]](#) [\[PDF Full-Text \(325 KB\)\]](#) [IEEE CNF](#)

51 Interference rejection in direct-sequence spread spectrum communication systems based on higher-order statistics and genetic algorithm
Li Taijie; Hu Guangrui; Gu Qing;
Signal Processing Proceedings, 2000. WCCC-ICSP 2000. 5th International Conference on , Volume: 3 , 21-25 Aug. 2000
Pages:1782 - 1785 vol.3

[\[Abstract\]](#) [\[PDF Full-Text \(220 KB\)\]](#) [IEEE CNF](#)

52 Genetic design of analog IIR filters with variable time delays for optically controlled microwave signal processors
Neubauer, A.;
Evolutionary Computation, 1997., IEEE International Conference on , 13-16 April 1997
Pages:437 - 442

[\[Abstract\]](#) [\[PDF Full-Text \(516 KB\)\]](#) [IEEE CNF](#)

53 GA-based design of multiplierless 2-D digital filters with very low roundoff noise
Young-Ho Lee; Kawamata, M.; Higuchi, T.;
Circuits and Systems, 1996., IEEE Asia Pacific Conference on , 18-21 Nov. 1996
Pages:223 - 226

[\[Abstract\]](#) [\[PDF Full-Text \(408 KB\)\]](#) [IEEE CNF](#)

54 Design of discrete coefficient FIR filters using fast simulated evolutionary optimization
Rao, S.S.; Chellapilla, K.;
Neural Networks, 1996., IEEE International Conference on , Volume: 2 , 3-6 June 1996
Pages:1185 - 1190 vol.2

[\[Abstract\]](#) [\[PDF Full-Text \(352 KB\)\]](#) [IEEE CNF](#)

55 GA-based design of multiplierless 2-D state-space digital filters with very small roundoff noise

Young-Ho Lee; Kawamata, M.; Higuchi, T.;
Acoustics, Speech, and Signal Processing, 1996. ICASSP-96. Conference
Proceedings., 1996 IEEE International Conference on , Volume: 3 , 7-10 May 1996
Pages:1283 - 1286 vol. 3

[\[Abstract\]](#) [\[PDF Full-Text \(312 KB\)\]](#) [IEEE CNF](#)

56 The hybrid method for determining an adaptive step size of the unknown system identification using genetic algorithm and LMS algorithm
Kim, H.; Lee, T.; Lim, D.; Jung, D.;
Neural Information Processing, 2002. ICONIP '02. Proceedings of the 9th International Conference on , Volume: 2 , 18-22 Nov. 2002
Pages:814 - 818 vol.2

[\[Abstract\]](#) [\[PDF Full-Text \(647 KB\)\]](#) [IEEE CNF](#)

57 Genetic construction of wavelet filter banks for optimal denoising of ultrasonic signals
Shark, L.-K.; Yu, C.;
Signal Processing, 2002 6th International Conference on , Volume: 1 , 26-30 Aug. 2002
Pages:197 - 200 vol.1

[\[Abstract\]](#) [\[PDF Full-Text \(321 KB\)\]](#) [IEEE CNF](#)

58 Speaker recognition using dynamic synapse neural networks
George, S.; Dibazar, A.; Berger, T.W.;
[Engineering in Medicine and Biology, 2002. 24th Annual Conference and the Annual Fall Meeting of the Biomedical Engineering Society] EMBS/BMES Conference, 2002. Proceedings of the Second Joint , Volume: 1 , 2002
Pages:151 - 152 vol.1

[\[Abstract\]](#) [\[PDF Full-Text \(242 KB\)\]](#) [IEEE CNF](#)

59 New natural selection process and chromosome encoding for the design of multiplierless lattice QMF using genetic algorithm
Ya Jun Yu; Yong Ching Lim;
Electronics, Circuits and Systems, 2001. ICECS 2001. The 8th IEEE International Conference on , Volume: 3 , 2-5 Sept. 2001
Pages:1273 - 1276 vol.3

[\[Abstract\]](#) [\[PDF Full-Text \(328 KB\)\]](#) [IEEE CNF](#)

60 Design of 1-D FIR filters with genetic algorithms
Lee, A.; Ahmadi, M.; Jullien, G.A.; Lashkan, R.S.; Miller, W.C.;
Circuits and Systems, 1999. ISCAS '99. Proceedings of the 1999 IEEE International Symposium on , Volume: 3 , 30 May-2 June 1999
Pages:295 - 298 vol.3

[\[Abstract\]](#) [\[PDF Full-Text \(212 KB\)\]](#) [IEEE CNF](#)

[Prev](#) [1](#) [2](#) [3](#) [4](#) [5](#) [6](#) [Next](#)

[Linking Information](#) | [Your Feedback](#) | [Technical Support](#) | [Email Alerting](#) | [No Robots Please](#) | [Release Notes](#) | [IEEE Online Publications](#) | [Help](#) | [FAQ](#) | [Terms](#) | [Back to Top](#)

Copyright © 2004 IEEE — All rights reserved

THIS PAGE BLANK (USPTO)

Welcome to IEEE Xplore®

- Home
- What Can I Access?
- Log-out

Tables of Contents

- Journals & Magazines
- Conference Proceedings
- Standards

Search

- By Author
- Basic
- Advanced
- CrossRef

Member Services

- Join IEEE
- Establish IEEE Web Account
- Access the IEEE Member Digital Library

IEEE Enterprise

- Access the IEEE Enterprise File Cabinet

 Print Format

Your search matched **87** of **1123491** documents.
A maximum of **500** results are displayed, **15** to a page, sorted by **Relevance** in **Descending** order.

Refine This Search:

You may refine your search by editing the current search expression or entering a new one in the text box.

Check to search within this result set

Results Key:

JNL = Journal or Magazine **CNF** = Conference **STD** = Standard

61 Adaptive order selection with aid of genetic algorithm

Ikoma, N.; Maeda, H.;
Fuzzy Systems Conference Proceedings, 1999. FUZZ-IEEE '99. 1999 IEEE International, Volume: 3, 22-25 Aug. 1999
Pages: 1785 - 1789 vol.3

[\[Abstract\]](#) [\[PDF Full-Text \(208 KB\)\]](#) IEEE CNF

62 Adaptive estimation of power spectrum by using genetic algorithm

Ikoma, N.; Maeda, H.;
Systems, Man, and Cybernetics, 1999. IEEE SMC '99 Conference Proceedings. 1999 IEEE International Conference on, Volume: 1, 12-15 Oct. 1999
Pages: 504 - 509 vol.1

[\[Abstract\]](#) [\[PDF Full-Text \(404 KB\)\]](#) IEEE CNF

63 Synthesis of low coefficient sensitivity digital filters using genetic programming

Uesaka, K.; Kawamata, M.;
Circuits and Systems, 1999. ISCAS '99. Proceedings of the 1999 IEEE International Symposium on, Volume: 3, 30 May-2 June 1999
Pages: 307 - 310 vol.3

[\[Abstract\]](#) [\[PDF Full-Text \(304 KB\)\]](#) IEEE CNF

64 Automated design of low complexity FIR filters

Redmill, D.W.; Bull, D.R.;
Circuits and Systems, 1998. ISCAS '98. Proceedings of the 1998 IEEE International Symposium on, Volume: 5, 31 May-3 June 1998
Pages: 429 - 432 vol.5

[\[Abstract\]](#) [\[PDF Full-Text \(328 KB\)\]](#) [IEEE CNF](#)

65 Design of 2-D FIR filters using McClellan transformation with genetic algorithms

Hung-Ching Lu; Shian-Tang Tzeng;

Evolutionary Computation Proceedings, 1998. IEEE World Congress on Computational Intelligence., The 1998 IEEE International Conference on , 4-9 May 1998

Pages:265 - 270

[\[Abstract\]](#) [\[PDF Full-Text \(388 KB\)\]](#) [IEEE CNF](#)

66 Digital filter design using genetic algorithm

Lee, A.; Ahmadi, M.; Jullien, G.A.; Miller, W.C.; Lashkari, R.S.;

Advances in Digital Filtering and Signal Processing, 1998 IEEE Symposium on , 5-6 June 1998

Pages:34 - 38

[\[Abstract\]](#) [\[PDF Full-Text \(360 KB\)\]](#) [IEEE CNF](#)

67 Evolutionary design of FIR digital filters with power-of-two coefficients

Gentili, P.; Biazza, F.; Uncini, A.;

Evolutionary Computation, 1994. IEEE World Congress on Computational Intelligence., Proceedings of the First IEEE Conference on , 27-29 June 1994

Pages:110 - 114 vol.1

[\[Abstract\]](#) [\[PDF Full-Text \(312 KB\)\]](#) [IEEE CNF](#)

68 Design of finite word length FIR digital filter using a parallel genetic algorithm

Xu, D.J.; Daley, M.L.;

Southeastcon '92, Proceedings., IEEE , 12-15 April 1992

Pages:834 - 837 vol.2

[\[Abstract\]](#) [\[PDF Full-Text \(308 KB\)\]](#) [IEEE CNF](#)

69 High speed frequency response masking filter design using genetic algorithm

Ling Cen; Yong Lian;

Neural Networks and Signal Processing, 2003. Proceedings of the 2003 International Conference on , Volume: 1 , 14-17 Dec. 2003

Pages:735 - 739 Vol.1

[\[Abstract\]](#) [\[PDF Full-Text \(336 KB\)\]](#) [IEEE CNF](#)

70 Introducing an FPGA based genetic algorithms in the applications of blind signals separation

Emam, H.; Ashour, M.A.; Fekry, H.; Wahdan, A.M.;

System-on-Chip for Real-Time Applications, 2003. Proceedings. The 3rd IEEE International Workshop on , 30 June-2 July 2003

Pages:123 - 127

[\[Abstract\]](#) [\[PDF Full-Text \(265 KB\)\]](#) [IEEE CNF](#)

71 Genetic algorithm processor for adaptive IIR filters

Salami, M.; Cain, G.;

Evolutionary Computation, 1995., IEEE International Conference on , Volume: 1 , 29 Nov.-1 Dec. 1995

Pages:423

[\[Abstract\]](#) [\[PDF Full-Text \(400 KB\)\]](#) [IEEE CNF](#)

72 Evolutionary synthesis of digital filter structures using genetic programming

Uesaka, K.; Kawamata, M.;

Circuits and Systems II: Analog and Digital Signal Processing, IEEE Transactions on [see also Circuits and Systems II: Express Briefs, IEEE Transactions on] , Volume:

50 , Issue: 12 , Dec. 2003

Pages:977 - 983

[\[Abstract\]](#) [\[PDF Full-Text \(403 KB\)\]](#) [IEEE JNL](#)

73 Comparison of fixed-point FIR digital filter design techniques

Dempster, A.G.; Macleod, M.D.;

Circuits and Systems II: Analog and Digital Signal Processing, IEEE Transactions on [see also Circuits and Systems II: Express Briefs, IEEE Transactions on] , Volume:

44 , Issue: 7 , July 1997

Pages:591 - 593

[\[Abstract\]](#) [\[PDF Full-Text \(64 KB\)\]](#) [IEEE JNL](#)

74 Design of optimal digital filter using a parallel genetic algorithm

Xu, D.J.; Daley, M.L.;

Circuits and Systems II: Analog and Digital Signal Processing, IEEE Transactions on [see also Circuits and Systems II: Express Briefs, IEEE Transactions on] , Volume:

42 , Issue: 10 , Oct. 1995

Pages:673 - 675

[\[Abstract\]](#) [\[PDF Full-Text \(252 KB\)\]](#) [IEEE JNL](#)

75 Heuristic synthesis of low coefficient sensitivity second-order digital filters using genetic programming

Uesaka, K.; Kawamata, M.;

Circuits, Devices and Systems, IEE Proceedings [see also IEE Proceedings G-Circuits, Devices and Systems] , Volume: 148 , Issue: 3 , June 2001

Pages:121 - 125

[\[Abstract\]](#) [\[PDF Full-Text \(552 KB\)\]](#) [IEE JNL](#)

[Prev](#) [1](#) [2](#) [3](#) [4](#) [5](#) [6](#) [Next](#)

Welcome to IEEE Xplore®

- Home
- What Can I Access?
- Log-out

Tables of Contents

- Journals & Magazines
- Conference Proceedings
- Standards

Search

- By Author
- Basic
- Advanced
- CrossRef

Member Services

- Join IEEE
- Establish IEEE Web Account
- Access the IEEE Member Digital Library

IEEE Enterprise

- Access the IEEE Enterprise File Cabinet

Print Format

Your search matched **87** of **1123491** documents.
A maximum of **500** results are displayed, **15** to a page, sorted by **Relevance** in **Descending** order.

Refine This Search:

You may refine your search by editing the current search expression or entering a new one in the text box.

Check to search within this result set

Results Key:

JNL = Journal or Magazine **CNF** = Conference **STD** = Standard

76 Design of IIR filters with simultaneous amplitude and group-delay characteristics using genetic algorithm

Abo-Zahhad, M.; Ahmed, S.M.;

Electronics, Circuits and Systems, 2003. ICECS 2003. Proceedings of the 2003 10th IEEE International Conference on, Volume: 3, 14-17 Dec. 2003

Pages:1148 - 1151 Vol.3

[\[Abstract\]](#) [\[PDF Full-Text \(1450 KB\)\]](#) **IEEE CNF**

77 A genetic approach to ARMA filter synthesis for EEG signal simulation

Janeczko, C.; Lopes, H.S.;

Evolutionary Computation, 2000. Proceedings of the 2000 Congress on, Volume: 1, 16-19 July 2000

Pages:373 - 378 vol.1

[\[Abstract\]](#) [\[PDF Full-Text \(352 KB\)\]](#) **IEEE CNF**

78 The design of low complexity two-channel lattice-structure perfect-reconstruction filter banks using genetic algorithms

Sriranganathan, S.; Bull, D.R.; Redmill, D.W.;

Circuits and Systems, 1997. ISCAS '97., Proceedings of 1997 IEEE International Symposium on, Volume: 4, 9-12 June 1997

Pages:2393 - 2396 vol.4

[\[Abstract\]](#) [\[PDF Full-Text \(264 KB\)\]](#) **IEEE CNF**

79 Discrete-time cellular neural network construction through evolution programs

Destri, G.;

Cellular Neural Networks and their Applications, 1996. CNNA-96. Proceedings.,

1996 Fourth IEEE International Workshop on , 24-26 June 1996
Pages:473 - 478

[\[Abstract\]](#) [\[PDF Full-Text \(488 KB\)\]](#) [IEEE CNF](#)

80 Genetic algorithms-based parameter optimization of a non-destructive damage detection method
Sazonov, E.S.; Klinkhachorn, P.; Halabe, U.B.;
System Theory, 2002. Proceedings of the Thirty-Fourth Southeastern Symposium on , 18-19 March 2002
Pages:152 - 156

[\[Abstract\]](#) [\[PDF Full-Text \(457 KB\)\]](#) [IEEE CNF](#)

81 Evolutionary design and adaptation of digital filters within an embedded fault tolerant hardware platform
Hounsell, B.L.; Arslan, T.;
Evolvable Hardware, 2001. Proceedings. The Third NASA/DoD Workshop on , 12-14 July 2001
Pages:127 - 135

[\[Abstract\]](#) [\[PDF Full-Text \(620 KB\)\]](#) [IEEE CNF](#)

82 A two stage genetic algorithm for optimisation of causal IIR perfect reconstruction multirate filter banks
Singh Baicher, G.;
Evolutionary Computation, 1999. CEC 99. Proceedings of the 1999 Congress on , Volume: 2 , 6-9 July 1999
Pages: 903 Vol. 2

[\[Abstract\]](#) [\[PDF Full-Text \(400 KB\)\]](#) [IEEE CNF](#)

83 Design of 1-D FIR filters with genetic algorithms
Lee, A.; Ahmadi, M.; Jullien, G.A.; Lashkari, R.S.; Miller, W.C.;
Signal Processing and Its Applications, 1999. ISSPA '99. Proceedings of the Fifth International Symposium on , Volume: 2 , 22-25 Aug. 1999
Pages:955 - 958 vol.2

[\[Abstract\]](#) [\[PDF Full-Text \(228 KB\)\]](#) [IEEE CNF](#)

84 A genetic adaptive algorithm for data equalization
White, M.S.; Flockton, S.J.;
Evolutionary Computation, 1994. IEEE World Congress on Computational Intelligence., Proceedings of the First IEEE Conference on , 27-29 June 1994
Pages:665 - 669 vol.2

[\[Abstract\]](#) [\[PDF Full-Text \(280 KB\)\]](#) [IEEE CNF](#)

85 The optimisation of multiplier-free directed graphs: an approach using genetic algorithms
Bull, D.R.; Aladjidi, A.;
Circuits and Systems, 1994. ISCAS '94., 1994 IEEE International Symposium on , Volume: 2 , 30 May-2 June 1994

Pages:197 - 200 vol.2

[\[Abstract\]](#) [\[PDF Full-Text \(280 KB\)\]](#) [IEEE CNF](#)

86 Design of 2-D multiplierless FIR filters using genetic algorithms

Sriranganathan, S.; Bull, D.R.; Redmill, D.W.;

Genetic Algorithms in Engineering Systems: Innovations and Applications, 1995.

GALESIA. First International Conference on (Conf. Publ. No. 446) , 12-14 Sep 1995

Pages:282 - 286

[\[Abstract\]](#) [\[PDF Full-Text \(284 KB\)\]](#) [IEE CNF](#)

87 A genetic algorithm for the design of finite word length arbitrary response cascaded IIR digital filters

Arslan, T.; Horrocks, D.H.;

Genetic Algorithms in Engineering Systems: Innovations and Applications, 1995.

GALESIA. First International Conference on (Conf. Publ. No. 446) , 12-14 Sep 1995

Pages:276 - 281

[\[Abstract\]](#) [\[PDF Full-Text \(444 KB\)\]](#) [IEE CNF](#)

[Prev](#) [1](#) [2](#) [3](#) [4](#) [5](#) [6](#)


[Subscribe \(Full Service\)](#) [Register \(Limited Service, Free\)](#) [Login](#)
Search: The ACM Digital Library The Guide

[HOME](#) [ABOUT](#) [CONTACT](#) [HELP](#) [SITEMAP](#)
[Feedback](#) [Report a problem](#) [Satisfaction survey](#)
Terms used [genetic algorithm](#) and [filter](#) and [coefficients](#)

Found 2,673 of 150,138

Sort results by relevance Save results to a Binder
 Search Tips
 Display results expanded form Open results in a new window

[Try an Advanced Search](#)
[Try this search in The ACM Guide](#)

Results 1 - 20 of 200

 Result page: [1](#) [2](#) [3](#) [4](#) [5](#) [6](#) [7](#) [8](#) [9](#) [10](#) [next](#)

Best 200 shown

Relevance scale

1 [Representation of electronic mail filtering profiles: a user study](#)

Michael J. Pazzani

 January 2000 **Proceedings of the 5th international conference on Intelligent user interfaces**

 Full text available: [pdf\(513.83 KB\)](#) Additional Information: [full citation](#), [abstract](#), [references](#), [citations](#), [index terms](#)

Electronic mail offers the promise of rapid communication of essential information. However, electronic mail is also used to send unwanted messages. A variety of approaches can learn a profile of a user's interests for filtering mail. Here, we report on a usability study that investigates what types of profiles people would be willing to use to filter mail.

Keywords: mail filtering, user studies

2 [Improving collaborative filtering with multimedia indexing techniques to create user-adapting Web sites](#)

Arnd Kohrs, Bernard Merialdo

 October 1999 **Proceedings of the seventh ACM international conference on Multimedia (Part 1)**

 Full text available: [pdf\(1.77 MB\)](#) Additional Information: [full citation](#), [abstract](#), [references](#), [citations](#), [index terms](#)

The Internet is evolving from a static collection of hypertext, to a rich assortment of dynamic services and products targeted at millions of Internet users. For most sites it is a crucial matter to keep a close tie between the users and the site. More and more Web sites build close relationships with their users by adapting to their needs and therefore providing a personal experience. One aspect of personalization is the recommendation and presentation of information and product ...

Keywords: Web museum, collaborative filtering, content-based filtering, image indexing, user-adapting Web sites

3 [Data filtering for automatic classification of rocks from reflectance spectra](#)

Jonathan Moody, Ricardo Silva, Joseph Vanderwaart

 August 2001 **Proceedings of the seventh ACM SIGKDD international conference on Knowledge discovery and data mining**

Full text available:  pdf(597.99 KB) Additional Information: [full citation](#), [abstract](#), [references](#), [index terms](#)

The ability to identify the mineral composition of rocks and soils is an important tool for the exploration of geological sites. For instance, NASA intends to design robots that are sufficiently autonomous to perform this task on planetary missions. Spectrometer readings provide one important source of data for identifying sites with minerals of interest. Reflectance spectrometers measure intensities of light reflected from surfaces over a range of wavelengths. Spectral intensity patterns may in ...

4 **A survey on wavelet applications in data mining** 

Tao Li, Qi Li, Shenghuo Zhu, Mitsunori Ogihara

December 2002 **ACM SIGKDD Explorations Newsletter**, Volume 4 Issue 2

Full text available:  pdf(330.06 KB) Additional Information: [full citation](#), [abstract](#), [references](#), [citations](#)

Recently there has been significant development in the use of wavelet methods in various data mining processes. However, there has been written no comprehensive survey available on the topic. The goal of this is paper to fill the void. First, the paper presents a high-level data-mining framework that reduces the overall process into smaller components. Then applications of wavelets for each component are reviewed. The paper concludes by discussing the impact of wavelets on data mining research and ...

5 **Software/modelware tutorials I: eM-Plant: eliminate bottlenecks with integrated analysis tools in eM-Plant** 

Matthias U. Heinicke, Alan Hickman

December 2000 **Proceedings of the 32nd conference on Winter simulation**

Full text available:  pdf(243.24 KB) Additional Information: [full citation](#), [abstract](#), [references](#)

To build a realistic simulation model is all very well - to add real value you must identify the major difficulties and generate better alternatives. Tecnomatix Technologies, developers of eM-Plant, the object oriented simulation tool for discrete event simulation, planning and optimization of production and logistics, are the world leaders of the e-Manufacturing market. eM-Plant is used across many industries from manufacturers like BMW and Daimler-Chrysler through shipyards to international fi ...

6 **Text filtering by boosting naive Bayes classifiers** 

Yu-Hwan Kim, Shang-Yoon Hahn, Byoung-Tak Zhang

July 2000 **Proceedings of the 23rd annual international ACM SIGIR conference on Research and development in information retrieval**

Full text available:  pdf(669.68 KB) Additional Information: [full citation](#), [abstract](#), [references](#), [citations](#), [index terms](#)

Several machine learning algorithms have recently been used for text categorization and filtering. In particular, boosting methods such as AdaBoost have shown good performance applied to real text data. However, most of existing boosting algorithms are based on classifiers that use binary-valued features. Thus, they do not fully make use of the weight information provided by standard term weighting methods. In this paper, we present a boosting-based learning method for text filtering that use ...

7 **An updated survey of GA-based multiobjective optimization techniques** 

Carlos A. Coello

June 2000 **ACM Computing Surveys (CSUR)**, Volume 32 Issue 2

Full text available:  pdf(250.77 KB) Additional Information: [full citation](#), [abstract](#), [references](#), [citations](#), [index terms](#)

After using evolutionary techniques for single-objective optimization during more than two decades, the incorporation of more than one objective in the fitness function has finally become a popular area of research. As a consequence, many new evolutionary-based

approaches and variations of existing techniques have recently been published in the technical literature. The purpose of this paper is to summarize and organize the information on these current approaches, emphasizing the importanc ...

Keywords: artificial intelligence, genetic algorithms, multicriteria optimization, multiobjective optimization, vector optimization

8 Evolving intelligent text-based agents

Edmund S. Yu, Ping C. Koo, Elizabeth D. Liddy

June 2000 **Proceedings of the fourth international conference on Autonomous agents**

Full text available:  [pdf\(1.14 MB\)](#) Additional Information: [full citation](#), [references](#), [citations](#), [index terms](#)



Keywords: evolution of agents, information agents, learning and adaptation, multi-agent teams

9 Applying associative retrieval techniques to alleviate the sparsity problem in collaborative filtering

Zan Huang, Hsinchun Chen, Daniel Zeng

January 2004 **ACM Transactions on Information Systems (TOIS)**, Volume 22 Issue 1

Full text available:  [pdf\(173.30 KB\)](#) Additional Information: [full citation](#), [abstract](#), [references](#), [index terms](#)



Recommender systems are being widely applied in many application settings to suggest products, services, and information items to potential consumers. Collaborative filtering, the most successful recommendation approach, makes recommendations based on past transactions and feedback from consumers sharing similar interests. A major problem limiting the usefulness of collaborative filtering is the sparsity problem, which refers to a situation in which transactional or feedback data is sparse and i ...

Keywords: Recommender system, associative retrieval, collaborative filtering, sparsity problem, spreading activation

10 GroupLens: an open architecture for collaborative filtering of netnews

Paul Resnick, Neophytos Iacovou, Mitesh Suchak, Peter Bergstrom, John Riedl

October 1994 **Proceedings of the 1994 ACM conference on Computer supported cooperative work**

Full text available:  [pdf\(1.32 MB\)](#) Additional Information: [full citation](#), [abstract](#), [references](#), [citations](#), [index terms](#)



Collaborative filters help people make choices based on the opinions of other people. GroupLens is a system for collaborative filtering of netnews, to help people find articles they will like in the huge stream of available articles. News reader clients display predicted scores and make it easy for users to rate articles after they read them. Rating servers, called Better Bit Bureaus, gather and disseminate the ratings. The rating servers predict scores based on the heuristic that people wh ...

Keywords: Usenet, collaborative filtering, electronic bulletin boards, information filtering, netnews, selective dissemination of information, social filtering, user model

11 Data clustering: a review

A. K. Jain, M. N. Murty, P. J. Flynn



September 1999 **ACM Computing Surveys (CSUR)**, Volume 31 Issue 3

Full text available:  [pdf\(636.24 KB\)](#)

Additional Information: [full citation](#), [abstract](#), [references](#), [citations](#), [index terms](#), [review](#)

Clustering is the unsupervised classification of patterns (observations, data items, or feature vectors) into groups (clusters). The clustering problem has been addressed in many contexts and by researchers in many disciplines; this reflects its broad appeal and usefulness as one of the steps in exploratory data analysis. However, clustering is a difficult problem combinatorially, and differences in assumptions and contexts in different communities has made the transfer of useful generic co ...

Keywords: cluster analysis, clustering applications, exploratory data analysis, incremental clustering, similarity indices, unsupervised learning

12 A multilevel approach to intelligent information filtering: model, system, and evaluation 

J. Mostafa, S. Mukhopadhyay, M. Palakal, W. Lam

October 1997 **ACM Transactions on Information Systems (TOIS)**, Volume 15 Issue 4

Full text available:  [pdf\(610.01 KB\)](#)

Additional Information: [full citation](#), [abstract](#), [references](#), [citations](#), [index terms](#), [review](#)

In information-filtering environments, uncertainties associated with changing interests of the user and the dynamic document stream must be handled efficiently. In this article, a filtering model is proposed that decomposes the overall task into subsystem functionalities and highlights the need for multiple adaptation techniques to cope with uncertainties. A filtering system, SIFTER, has been implemented based on the model, using established techniques in information retrieval and artificia ...

Keywords: automated document representation, information filtering, user modeling

13 Session 4B: high-level design tools for analog circuits: DAISY: a simulation-based high-level synthesis tool for $\Delta\Sigma$ modulators 

K. Francken, P. Vancorenland, G. Gielen

November 2000 **Proceedings of the 2000 IEEE/ACM international conference on Computer-aided design**

Full text available:  [pdf\(240.09 KB\)](#)

Additional Information: [full citation](#), [abstract](#), [references](#), [citations](#)

An integrated tool called DAISY (Delta-Sigma Analysis and Synthesis) is presented for the high-level synthesis of $\Delta\Sigma$ modulators. The approach determines both the optimum modulator topology and the required building block specifications, such that the system specifications -- mainly accuracy and signal bandwidth -- are satisfied at the lowest possible power consumption. A genetic-based differential evolution algorithm is used in combination with a fast dedi ...

14 Face recognition: A literature survey 

W. Zhao, R. Chellappa, P. J. Phillips, A. Rosenfeld

December 2003 **ACM Computing Surveys (CSUR)**, Volume 35 Issue 4

Full text available:  [pdf\(4.28 MB\)](#)

Additional Information: [full citation](#), [abstract](#), [references](#), [index terms](#)

As one of the most successful applications of image analysis and understanding, face recognition has recently received significant attention, especially during the past several years. At least two reasons account for this trend: the first is the wide range of commercial and law enforcement applications, and the second is the availability of feasible technologies after 30 years of research. Even though current machine recognition systems have reached a certain level of maturity, their success is ...

Keywords: Face recognition, person identification

15 Machine learning in automated text categorization

Fabrizio Sebastiani

March 2002 **ACM Computing Surveys (CSUR)**, Volume 34 Issue 1

Full text available: [!\[\]\(30dfa619cea8b8790c5e9066d4f2637a_img.jpg\) pdf\(524.41 KB\)](#) Additional Information: [full citation](#), [abstract](#), [references](#), [citations](#), [index terms](#)

The automated categorization (or classification) of texts into predefined categories has witnessed a booming interest in the last 10 years, due to the increased availability of documents in digital form and the ensuing need to organize them. In the research community the dominant approach to this problem is based on machine learning techniques: a general inductive process automatically builds a classifier by learning, from a set of preclassified documents, the characteristics of the categories. ...

Keywords: Machine learning, text categorization, text classification

16 Special issue on SAC 2001 best papers: Evolutionary image enhancement with user behavior modeling

Cristian Munteanu, Agostinho Rosa

April 2001 **ACM SIGAPP Applied Computing Review**, Volume 9 Issue 1

Full text available: [!\[\]\(821acc15c470127e6ad8ef362d2c5a7f_img.jpg\) pdf\(831.87 KB\)](#) Additional Information: [full citation](#), [abstract](#), [references](#)

In this paper we present a novel method for image enhancement of gray-scale images based on the simulation of evolution. Our method employs Genetic Algorithms to evolve the shape of the contrast curve in the image, while attempting to partially automate the subjective process of image evaluation (e.g. user behavior) by performing multiple regression on fitness values. Results obtained show the robustness and efficiency of the evolutive method for image enhancement. For several images in the test ...

Keywords: image enhancement, multiple regression, real-coded genetic algorithms, subjective fitness

17 Special issue on special feature: Dimensionality reduction via sparse support vector machines

Jinbo Bi, Kristin Bennett, Mark Embrechts, Curt Breneman, Minghu Song

March 2003 **The Journal of Machine Learning Research**, Volume 3

Full text available: [!\[\]\(3e20e1de1ec46120aff11818eeebf90e_img.jpg\) pdf\(243.71 KB\)](#) Additional Information: [full citation](#), [abstract](#), [index terms](#)

We describe a methodology for performing variable ranking and selection using support vector machines (SVMs). The method constructs a series of sparse linear SVMs to generate linear models that can generalize well, and uses a subset of nonzero weighted variables found by the linear models to produce a final nonlinear model. The method exploits the fact that a linear SVM (no kernels) with l_1 -norm regularization inherently performs variable selection as a side-effect of minimizin ...

18 Reproducing color images using custom inks

Eric J. Stollnitz, Victor Ostromoukhov, David H. Salesin

July 1998 **Proceedings of the 25th annual conference on Computer graphics and interactive techniques**

Full text available: [!\[\]\(28944797265a0fe37c5b57b30aabff7f_img.jpg\) pdf\(217.32 KB\)](#) Additional Information: [full citation](#), [references](#), [citations](#), [index terms](#)

Keywords: Kubelka-Munk model, Neugebauer model, color printing, color reproduction, gamut mapping, ink selection, separations

19 [Efficient design space exploration in PICO](#) 

Santosh G. Abraham, B. R. Rau

November 2000 **Proceedings of the 2000 international conference on Compilers, architectures, and synthesis for embedded systems**

Full text available:  [pdf\(221.52 KB\)](#) Additional Information: [full citation](#)

Keywords: automated design, design space decomposition, hierarchical evaluation, multi-objective optimization, multiple criteria optimization

20 [Motion sketching for control of rigid-body simulations](#) 

Jovan Popović, Steven M. Seitz, Michael Erdmann

October 2003 **ACM Transactions on Graphics (TOG)**, Volume 22 Issue 4

Full text available:  [pdf\(156.23 KB\)](#) Additional Information: [full citation](#), [abstract](#), [references](#), [index terms](#), [review](#)

Motion sketching is an approach for creating realistic rigid-body motion. In this approach, an animator sketches how objects should move and the system computes a physically plausible motion that best fits the sketch. The sketch is specified with a mouse-based interface or with hand-gestures, which move instrumented objects in the real world to act out the desired behaviors. The sketches may be imprecise, may be physically infeasible, or may have incorrect timing. A multiple-shooting optimizatio ...

Keywords: Physically based animation, animation with constraints, user interface design

Results 1 - 20 of 200

Result page: [1](#) [2](#) [3](#) [4](#) [5](#) [6](#) [7](#) [8](#) [9](#) [10](#) [next](#)

The ACM Portal is published by the Association for Computing Machinery. Copyright © 2005 ACM, Inc.

[Terms of Usage](#) [Privacy Policy](#) [Code of Ethics](#) [Contact Us](#)

Useful downloads:  [Adobe Acrobat](#)  [QuickTime](#)  [Windows Media Player](#)  [Real Player](#)

 **PORTAL**
US Patent & Trademark Office

Subscribe (Full Service) [Register \(Limited Service, Free\)](#) [Login](#)
Search: The ACM Digital Library The Guide
 SEARCH

Full Text | DOI | Citations | References | BibTeX | PDF

 [Feedback](#) [Report a problem](#) [Satisfaction survey](#)

Terms used [genetic algorithm](#) and [filter](#) and [coefficients](#)

Found 2,673 of 150,138

Sort results by relevance Save results to a Binder
 Display results expanded form Search Tips
 Open results in a new window

[Try an Advanced Search](#)
[Try this search in The ACM Guide](#)

Results 21 - 40 of 200 Result page: [previous](#) [1](#) [2](#) [3](#) [4](#) [5](#) [6](#) [7](#) [8](#) [9](#) [10](#) [next](#)

Best 200 shown

Relevance scale 

21 [The use of single and multiple seed architectures with a natural based micro-architecture exploration algorithm](#)

Chris J. Rouse, Alison J. Carter

September 1994 **Proceedings of the conference on European design automation**

Full text available:  [pdf\(553.88 KB\)](#) Additional Information: [full citation](#), [references](#), [index terms](#)

22 [Machine learning in DNA microarray analysis for cancer classification](#)

Sung-Bae Cho, Hong-Hee Won

January 2003 **Proceedings of the First Asia-Pacific bioinformatics conference on Bioinformatics 2003 - Volume 19**

Full text available:  [pdf\(405.54 KB\)](#) Additional Information: [full citation](#), [abstract](#), [references](#), [citations](#), [index terms](#)

The development of microarray technology has supplied a large volume of data to many fields. In particular, it has been applied to prediction and diagnosis of cancer, so that it expectedly helps us to exactly predict and diagnose cancer. To precisely classify cancer we have to select genes related to cancer because extracted genes from microarray have many noises. In this paper, we attempt to explore many features and classifiers using three benchmark datasets to systematically evaluate the perf ...

Keywords: KNN, MLP, SASOM, SVM, biological data mining, classification, ensemble classifier, feature selection, gene expression profile

23 [Evolving and messaging decision-making agents](#)

Edmund S. Yu

May 2001 **Proceedings of the fifth international conference on Autonomous agents**

Full text available:  [pdf\(240.53 KB\)](#) Additional Information: [full citation](#), [abstract](#), [references](#), [index terms](#)

In this paper we describe our neurogenetic approach to developing a multi- agent decision support system which assists users in gathering, merging, analyzing, and using information to assess risks and make recommendations in situations that may require tremendous amounts of time and attention of the users. In Phase I of this project, called the EMMA project, we demonstrated the feasibility of a set of solutions to various problems by building an intelligent agent application that makes reco ...

Keywords: adaptation and learning, agent communication languages, evolution of agents, information agents, multi-agent communication/collaboration

24 Evolutionary image enhancement with user behaviour modeling

Cristian Munteanu, Agostinho Rosa

March 2001 **Proceedings of the 2001 ACM symposium on Applied computing**

Full text available:  [pdf\(188.50 KB\)](#) Additional Information: [full citation](#), [references](#), [index terms](#)



Keywords: image enhancement, multiple regression, real-coded genetic algorithms, subjective fitness

25 Technical papers: Capturing interest through inference and visualization: ontological user profiling in recommender systems

Stuart E. Middleton, Nigel R. Shadbolt, David C. De Roure

October 2003 **Proceedings of the international conference on Knowledge capture**

Full text available:  [pdf\(362.41 KB\)](#) Additional Information: [full citation](#), [abstract](#), [references](#), [index terms](#)



Tools for filtering the World Wide Web exist, but they are hampered by the difficulty of capturing user preferences in such a diverse and dynamic environment. Recommender systems help where explicit search queries are not available or are difficult to formulate, learning the type of thing users like over a period of time. We explore an ontological approach to user profiling in the context of a recommender system. Building on previous work involving ontological profile inference and the use of ext ...

Keywords: knowledge capture, machine learning, ontology, profile visualization, recommender systems, user modelling, user profiling

26 System-level power optimization: techniques and tools

Luca Benini, Giovanni de Micheli

April 2000 **ACM Transactions on Design Automation of Electronic Systems (TODAES)**,

Volume 5 Issue 2

Full text available:  [pdf\(385.22 KB\)](#) Additional Information: [full citation](#), [abstract](#), [references](#), [citations](#), [index terms](#)



This tutorial surveys design methods for energy-efficient system-level design. We consider electronic systems consisting of a hardware platform and software layers. We consider the three major constituents of hardware that consume energy, namely computation, communication, and storage units, and we review methods of reducing their energy consumption. We also study models for analyzing the energy cost of software, and methods for energy-efficient software design and compilation. This survey ...

27 Low power synthesis of sum-of-products computation (poster session)

K. Masselos, S. Theoharis, P. K. Merakos, T. Stouraitis, C. E. Goutis

August 2000 **Proceedings of the 2000 international symposium on Low power electronics and design**

Full text available:  [pdf\(254.13 KB\)](#) Additional Information: [full citation](#), [abstract](#), [references](#), [index terms](#)



Novel techniques for the power efficient synthesis of sum-of-product computations are presented. Simple and efficient heuristics for scheduling and assignment are described. Different partly static cost functions are proposed to drive the synthesis tasks. The proposed cost functions target the power consumption either in the buses connecting the functional units with the storage elements or inside the functional units. The partly static

nature of the proposed cost functions reduces the time ...

28 Delivering acceleration: the potential for increased HPC application performance using reconfigurable logic 

David Caliga, David Peter Barker

November 2001 **Proceedings of the 2001 ACM/IEEE conference on Supercomputing (CDROM)**

Full text available:  pdf(396.61 KB) Additional Information: [full citation](#), [abstract](#), [references](#), [index terms](#)

SRC Computers, Inc. has integrated adaptive computing into its SRC-6 high-end server, incorporating reconfigurable processors as peers to the microprocessors. Performance improvements resulting from reconfigurable computing can provide orders of magnitude speedups for a wide variety of algorithms. Reconfigurable logic in Field Programmable Gate Arrays (FPGAs) has shown great advantage to date in special purpose applications and specialty hardware. SRC Computers is working to bring this technolog ...

Keywords: FPGA, reconfigurable computing

29 Efficient Feature Selection via Analysis of Relevance and Redundancy 

Lei Yu, Huan Liu

December 2004 **The Journal of Machine Learning Research**, Volume 5

Full text available:  pdf(197.59 KB) Additional Information: [full citation](#), [abstract](#)

Feature selection is applied to reduce the number of features in many applications where data has hundreds or thousands of features. Existing feature selection methods mainly focus on finding relevant features. In this paper, we show that feature relevance alone is insufficient for efficient feature selection of high-dimensional data. We define feature redundancy and propose to perform explicit redundancy analysis in feature selection. A new framework is introduced that decouples relevance analy ...

30 A novel ensemble-based scoring and search algorithm for protein redesign, and its application to modify the substrate specificity of the gramicidin synthetase A phenylalanine adenylate enzyme 

Ryan H. Lilien, Brian W. Stevens, Amy C. Anderson, Bruce R. Donald

March 2004 **Proceedings of the eighth annual international conference on Computational molecular biology**

Full text available:  pdf(2.36 MB) Additional Information: [full citation](#), [abstract](#), [references](#), [index terms](#)

Realization of novel molecular function requires the ability to alter molecular complex formation. Enzymatic function can be altered by changing enzyme-substrate interactions via modification of an enzyme's active site. A redesigned enzyme may either perform a novel reaction on its native substrates or its native reaction on novel substrates. A number of computational approaches have been developed to address the combinatorial nature of the protein redesign problem. These approaches typically se ...

Keywords: enzyme design, fluorescence binding assay, molecular ensemble, non-ribosomal peptide synthetase, protein design, protein flexibility, protein-ligand binding

31 Low complexity FIR filters using factorization of perturbed coefficients 

C. Neau, K. Muhammad, K. Roy

March 2001 **Proceedings of the conference on Design, automation and test in Europe**

Full text available:  pdf(73.50 KB) Additional Information: [full citation](#), [references](#), [index terms](#)

32 Riemann mapping based constraint handling for evolutionary search

Dae Gyu Kim

February 1998 **Proceedings of the 1998 ACM symposium on Applied Computing**Full text available: [pdf\(634.14 KB\)](#) Additional Information: [full citation](#), [references](#), [index terms](#)**Keywords:** Riemann mapping, constraint handling, evolutionary search, optimization**33 Session P3: volume visualization I: Interactive spectral volume rendering**

Steven Bergner, Torsten Möller, Mark S. Drew, Graham D. Finlayson

October 2002 **Proceedings of the conference on Visualization '02**Full text available: [pdf\(5.23 MB\)](#) Additional Information: [full citation](#), [abstract](#), [references](#), [index terms](#)

We describe a method for volume rendering using a spectral representation of colour instead of the traditional RGB model. It is shown how to use this framework for a novel exploration of datasets through enhanced transfer function design. Furthermore, our framework is extended to allow real-time re-lighting of the scene created with any rendering method. The technique of post-illumination is introduced to generate new spectral images for arbitrary light colours in real-time. Also a tool is descr ...

Keywords: interactive re-lighting, post-illumination, spectral volume rendering**34 Technical poster session 3: multimedia tools, end-systems, and applications:**Automatic music video generation based on temporal pattern analysis

Xian-Sheng HUA, Lie LU, Hong-Jiang ZHANG

October 2004 **Proceedings of the 12th annual ACM international conference on Multimedia**Full text available: [pdf\(180.36 KB\)](#) Additional Information: [full citation](#), [abstract](#), [references](#), [index terms](#)

Music video (MV) is a short film meant to present a visual representation of a popular music song. In this paper, we present a system that automatically generates MV-like videos from personal home videos based on observations that generally there are obvious repetitive visual and aural patterns in MVs. Based on a set of video and music analysis algorithms, the automatic music video (AMV) generation system automatically extracts temporal structures of the video and music, as well as repetitive ...

Keywords: music analysis, music video, optimization, video content analysis, video editing, video segmentation**35 Genetic algorithms for non-linear adaptive filters in digital signal processing**

André Neubauer

February 1996 **Proceedings of the 1996 ACM symposium on Applied Computing**Full text available: [pdf\(332.72 KB\)](#) Additional Information: [full citation](#), [references](#), [index terms](#)**Keywords:** adaptive filter, genetic algorithm, on-line adaptation, parameter estimation, stochastic signal estimation**36 Visualization of plant growth**

Jeremy J. Loomis, Xiuwen Liu, Zhaohua Ding, Kikuo Fujimura, Michael L. Evans, Hideo Ishikawa

October 1997 **Proceedings of the 8th conference on Visualization '97**

Full text available:  [pdf\(559.67 KB\)](#)

 Publisher Site

Additional Information: [full citation](#), [references](#), [index terms](#)



Keywords: image sequence analysis, non-rigid motion, plant biology, shape representation

37 Scalable algorithms for mining large databases

Rajeev Rastogi, Kyuseok Shim

August 1999 **Tutorial notes of the fifth ACM SIGKDD international conference on Knowledge discovery and data mining**

Full text available:  [pdf\(4.11 MB\)](#)

Additional Information: [full citation](#), [references](#), [index terms](#)



38 Reconfigurable computing: a survey of systems and software

Katherine Compton, Scott Hauck

June 2002 **ACM Computing Surveys (CSUR)**, Volume 34 Issue 2

Full text available:  [pdf\(710.56 KB\)](#)

Additional Information: [full citation](#), [abstract](#), [references](#), [citations](#), [index terms](#), [review](#)



Due to its potential to greatly accelerate a wide variety of applications, reconfigurable computing has become a subject of a great deal of research. Its key feature is the ability to perform computations in hardware to increase performance, while retaining much of the flexibility of a software solution. In this survey, we explore the hardware aspects of reconfigurable computing machines, from single chip architectures to multi-chip systems, including internal structures and external coupling. W ...

Keywords: Automatic design, FPGA, field-programmable, manual design, reconfigurable architectures, reconfigurable computing, reconfigurable systems

39 Synthesis of low power folded programmable coefficient FIR digital filters (short paper)

Vijay Sundararajan, Keshab K. Parhi

January 2000 **Proceedings of the 2000 conference on Asia South Pacific design automation**

Full text available:  [pdf\(151.33 KB\)](#)

Additional Information: [full citation](#), [references](#)



40 Computing curricula 2001

September 2001 **Journal on Educational Resources in Computing (JERIC)**

Full text available:  [pdf\(613.63 KB\)](#)

 [html\(2.78 KB\)](#)

Additional Information: [full citation](#), [references](#), [citations](#), [index terms](#)



Results 21 - 40 of 200

Result page: [previous](#) [1](#) [2](#) [3](#) [4](#) [5](#) [6](#) [7](#) [8](#) [9](#) [10](#) [next](#)

The ACM Portal is published by the Association for Computing Machinery. Copyright © 2005 ACM, Inc.

[Terms of Usage](#) [Privacy Policy](#) [Code of Ethics](#) [Contact Us](#)

Useful downloads: [!\[\]\(e51810ff30b37de53380ac76c06eed8d_img.jpg\) Adobe Acrobat](#) [!\[\]\(91f1bb7292c8cc58f14491bccea28702_img.jpg\) QuickTime](#) [!\[\]\(38d8e39920b091af7506b9a91a3d21a2_img.jpg\) Windows Media Player](#) [!\[\]\(0faea09d8a3d820df69ec80b214a4c1a_img.jpg\) Real Player](#)

THIS PAGE BLANK (USPTO)

 **PORTAL**
US Patent & Trademark Office

Subscribe (Full Service) Register (Limited Service, Free) Login
Search: The ACM Digital Library The Guide
"genetic algorithm" and filter and coefficients

 [Feedback](#) [Report a problem](#) [Satisfaction survey](#)

Terms used [genetic algorithm](#) and [filter](#) and [coefficients](#)

Found 2,673 of 150,138

Sort results by relevance Save results to a Binder
 Search Tips
 Display results expanded form Open results in a new window

[Try an Advanced Search](#)
[Try this search in The ACM Guide](#)

Results 41 - 60 of 200 Result page: [previous](#) [1](#) [2](#) [3](#) [4](#) [5](#) [6](#) [7](#) [8](#) [9](#) [10](#) [next](#)

Best 200 shown

Relevance scale 

41 [Technical session 9: still and moving images: Automatically converting otograic series into video](#) 

Xian-Sheng Hua, Lie Lu, Hong-Jiang Zhang

October 2004 **Proceedings of the 12th annual ACM international conference on Multimedia**

Full text available:  [pdf\(547.80 KB\)](#) Additional Information: [full citation](#), [abstract](#), [references](#), [index terms](#)

In this paper, we proposed a novel way to browse a series of otogras, which can be regarded as a system exploring the new medium between otogra and video. The scheme exploits the rich content embedded in a single otogra and otograic series. Based on studying the process of a viewer's attention variation on objects or regions of an image, a otogra can be converted into a motion clip. A system named `<i>oto2Video</i>` was developed to automatically convert a otograic series into a video b ...

Keywords: attention detection, audio segmentation, face detection, image clustering, image content analysis

42 [An application of rule-based and case-based reasoning within a single legal knowledge-based system](#) 

Kamalendu Pal, John A. Campbell

September 1997 **ACM SIGMIS Database**, Volume 28 Issue 4

Full text available:  [pdf\(1.31 MB\)](#) Additional Information: [full citation](#), [abstract](#), [index terms](#)

A knowledge-based system, Advisory Support for Home Settlement in Divorce (ASHSD), which gives advice on different aspects of matrimonial-home-settlement in English divorce law is described. The system employs two reasoning methods, rule-based reasoning (RBR) and case-based reasoning (CBR) in an integrated framework. It automates the estimation of the relative suitability of these reasoning methods for any given new case. This relative suitability is judged by matching the features of the select ...

Keywords: case-based reasoning, knowledge-based system, law, numerical taxonomy, rule-based reasoning

43 [Further experience with controller-based automatic motion synthesis for articulated figures](#) 

Joel Auslander, Alex Fukunaga, Hadi Partovi, Jon Christensen, Lloyd Hsu, Peter Reiss, Andrew

Shuman, Joe Marks, J. Thomas Ngo
October 1995 **ACM Transactions on Graphics (TOG)**, Volume 14 Issue 4

Full text available:  [pdf\(5.28 MB\)](#)

Additional Information: [full citation](#), [abstract](#), [references](#), [citations](#), [index terms](#)

We extend an earlier automatic motion-synthesis algorithm for physically realistic articulated figures in several ways. First, we summarize several incremental improvements to the original algorithm that improve its efficiency significantly and provide the user with some ability to influence what motions are generated. These techniques can be used by an animator to achieve a desired movement style, or they can be used to guarantee variety in the motions synthesized over several runs of the ...

Keywords: animation, evolutionary computation, heuristic methods, machine learning, spacetime constraints, stochastic optimization

44 [A review of the fractal image compression literature](#)

Dietmar Saupe, Raouf Hamzaoui
November 1994 **ACM SIGGRAPH Computer Graphics**, Volume 28 Issue 4

Full text available:  [pdf\(968.87 KB\)](#) Additional Information: [full citation](#), [index terms](#)



45 [Multimedia authoring: AVE: automated home video editing](#)

Xian-Sheng HUA, Lie LU, Hong-Jiang ZHANG
November 2003 **Proceedings of the eleventh ACM international conference on Multimedia**

Full text available:  [pdf\(384.96 KB\)](#) Additional Information: [full citation](#), [abstract](#), [references](#), [index terms](#)

In this paper, we present a system that automates home video editing. This system automatically extracts a set of highlight segments from a set of raw home videos and aligns them with user supplied incidental music based on the content of the video and incidental music. We developed an approach for extracting temporal structure and determining the importance of a video segment in order to facilitate the selection of highlight segments. Additionally we extract temporal structure, beats and tempos ...

Keywords: audio segmentation, music analysis, optimization, video content analysis, video editing, video segmentation, video skimming

46 [Power-profiler: optimizing ASICs power consumption at the behavioral level](#)

Raul San Martin, John P. Knight
January 1995 **Proceedings of the 32nd ACM/IEEE conference on Design automation**

Full text available:  [pdf\(185.13 KB\)](#) Additional Information: [full citation](#), [references](#), [citations](#), [index terms](#)



47 [The remote processing framework for portable computer power saving](#)

Alexey Rudenko, Peter Reiher, Gerald J. Popek, Geoffrey H. Kuennen
February 1999 **Proceedings of the 1999 ACM symposium on Applied computing**

Full text available:  [pdf\(888.21 KB\)](#) Additional Information: [full citation](#), [references](#), [citations](#), [index terms](#)

Keywords: client server, laptop battery, power saving, remote processing, wireless communication

48 Heuristic optimization using computer simulation: a study of staffing levels in a pharmaceutical manufacturing laboratory

Tom Brady, Benard McGarvey

December 1998 **Proceedings of the 30th conference on Winter simulation**

Full text available:  [pdf\(62.38 KB\)](#) Additional Information: [full citation](#), [citations](#), [index terms](#)



49 Image annotation and video summarization: Contrast-based image attention analysis by using fuzzy growing

Yu-Fei Ma, Hong-Jiang Zhang

November 2003 **Proceedings of the eleventh ACM international conference on Multimedia**

Full text available:  [pdf\(808.71 KB\)](#) Additional Information: [full citation](#), [abstract](#), [references](#), [index terms](#)

Visual attention analysis provides an alternative methodology to semantic image understanding in many applications such as adaptive content delivery and region-based image retrieval. In this paper, we propose a feasible and fast approach to attention area detection in images based on contrast analysis. The main contributions are threefold: 1) a new saliency map generation method based on local contrast analysis is proposed; 2) by simulating human perception, a fuzzy growing method is used to ext ...

Keywords: attention detection, contrast analysis, fuzzy growing, image analysis, visual attention model



50 A fast and accurate framework to analyze and optimize cache memory behavior

Xavier Vera, Nerina Bermudo, Josep Llosa, Antonio González

March 2004 **ACM Transactions on Programming Languages and Systems (TOPLAS)**,

Volume 26 Issue 2

Full text available:  [pdf\(270.06 KB\)](#) Additional Information: [full citation](#), [abstract](#), [references](#), [index terms](#)



The gap between processor and main memory performance increases every year. In order to overcome this problem, cache memories are widely used. However, they are only effective when programs exhibit sufficient data locality. Compile-time program transformations can significantly improve the performance of the cache. To apply most of these transformations, the compiler requires a precise knowledge of the locality of the different sections of the code, both before and after being transformed. Cache ...

Keywords: Cache memories, optimization, sampling



51 Dynamic model abstraction

Kangsun Lee, Paul A. Fishwick

November 1996 **Proceedings of the 28th conference on Winter simulation**

Full text available:  [pdf\(821.69 KB\)](#) Additional Information: [full citation](#), [references](#), [citations](#)



52 SIPAMPL: Semi-infinite programming with AMPL

A. Ismael F. Vaz, Edite M. G. P. Fernandes, M. Paula S. F. Gomes

March 2004 **ACM Transactions on Mathematical Software (TOMS)**, Volume 30 Issue 1

Full text available:  [pdf\(171.72 KB\)](#) Additional Information: [full citation](#), [abstract](#), [references](#), [index terms](#)

SIPAMPL is an environment for coding semi-infinite programming (SIP) problems. This environment includes a database containing a set of SIP problems that have been collected from the literature and a set of routines. It allows users to code their own SIP problems in AMPL, to use any problem already in the database, and to develop and test any SIP solver. The SIPAMPL routines support the interface between a potential SIP solver and test problems coded in AMPL. SIPAMPL also provides a tool that al ...

Keywords: Evaluation tools, semi-infinite programming, test problems

53 [Design space exploration and architectural design of HW/SW systems: Metrics for design space exploration of heterogeneous multiprocessor embedded systems](#)



Donatella Sciuto, Fabio Salice, Luigi Pomante, William Fornaciari

May 2002 **[Proceedings of the tenth international symposium on Hardware/software codesign](#)**

Full text available:  [pdf\(633.95 KB\)](#) Additional Information: [full citation](#), [abstract](#), [references](#), [citations](#), [index terms](#)

This paper considers the problem of designing heterogeneous multiprocessor embedded systems. The focus is on a step of the design flow: the definition of innovative metrics for the analysis of the system specification to statically identify the most suitable processing elements class for each system functionality. Experimental results are also included, to show the applicability and effectiveness of the proposed methodology.

Keywords: heterogeneous multiprocessor Embedded Systems, metrics for Hw/Sw partitioning, system-level design

54 [PYTHIA-II: a knowledge/database system for managing performance data and recommending scientific software](#)



Elias N. Houstis, Ann C. Catlin, John R. Rice, Vassilios S. Verykios, Naren Ramakrishnan, Catherine E. Houstis

June 2000 **[ACM Transactions on Mathematical Software \(TOMS\)](#)**, Volume 26 Issue 2

Full text available:  [pdf\(796.18 KB\)](#) Additional Information: [full citation](#), [abstract](#), [references](#), [citations](#), [index terms](#)

Often scientists need to locate appropriate software for their problems and then select from among many alternatives. We have previously proposed an approach for dealing with this task by processing performance data of the targeted software. This approach has been tested using a customized implementation referred to as PYTHIA. This experience made us realize the complexity of the algorithmic discovery of knowledge from performance data and of the management of these data together with the d ...

Keywords: data mining, inductive logic programming, knowledge discovery in databases, knowledge-based systems, performance evaluation, recommender systems, scientific software

55 [Design of an efficient channel block retuning](#)



Vincent Barbéra, Brigitte Jaumard

November 2001 **[Mobile Networks and Applications](#)**, Volume 6 Issue 6

Full text available:  [pdf\(180.25 KB\)](#) Additional Information: [full citation](#), [abstract](#), [references](#), [index terms](#)

Cellular networks must be updated very often. Due to technical and economical reasons, the complete channel retuning of an urban network has to be done in several steps. The objective is then to define the steps in such a way that the increase in the interference level is minimum, and do not let it go further than a given threshold of minimum quality for the

cellular network. We propose a greedy heuristic and an ascent---descent method including a Tabu Search module to retune a network in a give ...

Keywords: ascent---descent heuristic, cellular telephone system, frequency assignment, greedy heuristic, retuning, tabu search

56 Power grid design and analysis techniques: A stochastic approach To power grid analysis

Sanjay Pant, David Blaauw, Vladimir Zolotov, Savithri Sundareswaran, Rajendran Panda
June 2004 **Proceedings of the 41st annual conference on Design automation**

Full text available:  [pdf\(312.28 KB\)](#) Additional Information: [full citation](#), [abstract](#), [references](#), [index terms](#)

Power supply integrity analysis is critical in modern high performance designs. In this paper, we propose a stochastic approach to obtain statistical information about the collective IR and $L\frac{dI}{dt}$ drop in a power supply network. The currents drawn from the power grid by the blocks in a design are modelled as stochastic processes and their statistical information is extracted, including correlation information between blocks in both space and time. We then propose a method to propagate the stat ...

Keywords: IR drop, $L\frac{dI}{dt}$, power supply networks

57 Processor-memory coexploration using an architecture description language

Prabhat Mishra, Mahesh Mamidipaka, Nikil Dutt
February 2004 **ACM Transactions on Embedded Computing Systems (TECS)**, Volume 3 Issue 1

Full text available:  [pdf\(201.88 KB\)](#) Additional Information: [full citation](#), [abstract](#), [references](#), [index terms](#)

Memory represents a major bottleneck in modern embedded systems in terms of cost, power, and performance. Traditionally, memory organizations for programmable embedded systems assume a fixed cache hierarchy. With the widening processor--memory gap, more aggressive memory technologies and organizations have appeared, allowing customization of a heterogeneous memory architecture tuned for specific target applications. However, such a processor--memory coexploration approach critically needs the ab ...

Keywords: Processor--memory codesign, architecture description language, design space exploration, memory exploration

58 Adaptation/load balancing: Resource-aware exploration of the emergent dynamics of simulated systems

Sven A. Brueckner, H. Van Dyke Parunak
July 2003 **Proceedings of the second international joint conference on Autonomous agents and multiagent systems**

Full text available:  [pdf\(261.47 KB\)](#) Additional Information: [full citation](#), [abstract](#), [references](#), [index terms](#)

The emerging science of simulation enables us to explore the dynamics of large and complex systems even if a formal representation and analysis of the system is intractable and a construction of a real-world instantiation for the purpose of experimentation is too expensive. A computer simulation model can be run for many more configurations and the accumulated observations deepen our understanding of the system's operation, but it is very important that we have tools that help us manage the huge ...

Keywords: graph coloring, multi-agent coordination, phase change, search, simulation, system dynamics, tools and methods

59 Potpourri: A low power direct digital frequency synthesizer with 60 dBc spectral purity

J. M.P. Langlois, D. Al-Khalili

April 2002 **Proceedings of the 12th ACM Great Lakes symposium on VLSI**Full text available: [!\[\]\(59a20289897cc4154a78df489f8e9fdd_img.jpg\) pdf\(256.18 KB\)](#) Additional Information: [full citation](#), [abstract](#), [references](#), [index terms](#)

We present a low-power sine-output Direct Digital Frequency Synthesizer (DDFS) realized in 0.18 &mgr;m CMOS that achieves 60 dBc spectral purity from DC to the Nyquist frequency. No ROM or multipliers are used, but an external DAC is required if an analog output is desired. Power consumption is 10 mW for a 100 MHz clock, which is significantly less than figures reported previously. System complexity is greatly reduced by using an efficient linear interpolation scheme to approximate a sinusoid fu ...

Keywords: DDFS, DDS, low power, phase to sine amplitude conversion**60 Design methods: An improved synthesis method for low power hardwired FIR filters**

Vagner S. Rosa, Eduardo Costa, José C. Monteiro, Sergio Bampi

September 2004 **Proceedings of the 17th symposium on Integrated circuits and system design**Full text available: [!\[\]\(579f9827e14d457507d4b4c7637f8da8_img.jpg\) pdf\(372.94 KB\)](#) Additional Information: [full citation](#), [abstract](#), [references](#), [index terms](#)

This work presents a method to design parallel digital finite impulse response (FIR) filters for hardwired (fixed coefficients) implementation with reduced number of adders and logic depth in the multiplier block. The proposed method uses a combination of two approaches: first, the reduction of the coefficients to N-Power-of-Two (NPT) terms, where N is the maximum number of bits in '1' state allowed for each coefficient and Common Subexpression Elimination (CSE) among multipliers. An algorithm f ...


Keywords: FPGA synthesis, common subexpression elimination, parallel FIR filter, power-of-two

Results 41 - 60 of 200

Result page: [previous](#) [1](#) [2](#) **3** [4](#) [5](#) [6](#) [7](#) [8](#) [9](#) [10](#) [next](#)

The ACM Portal is published by the Association for Computing Machinery. Copyright © 2005 ACM, Inc.

[Terms of Usage](#) [Privacy Policy](#) [Code of Ethics](#) [Contact Us](#)Useful downloads: [!\[\]\(59ca1cf90991b13ee03c724de9f65da2_img.jpg\) Adobe Acrobat](#) [!\[\]\(4084802bbf09afd21a168898838bcdcf_img.jpg\) QuickTime](#) [!\[\]\(5316c7bbc658735f6f9f088cf73073c4_img.jpg\) Windows Media Player](#) [!\[\]\(557a6e7dd78715f61935982c0dcb3104_img.jpg\) Real Player](#)

**Web**Results 1 - 10 of about 9,810 for **+"genetic algorithm" +filter +coefficients**. (0.30 seconds)**[PPT] Two-dimensional Image Filter Design for Multiplierless ...**File Format: Microsoft Powerpoint 97 - [View as HTML](#)Developed a **genetic algorithm** with several unique, application-oriented attributes capable of optimizing **filter coefficients** such that the corresponding **filter** ...engineering.union.edu/ee_dept/SeniorProjects/ EESeniorProjectPage-2003_files/Lockett_Roblee.ppt - [Similar pages](#)**2003 Computer Engineering Senior Design Projects**A unique **genetic algorithm** was developed to optimize **filter coefficients** such that the corresponding **filter's** frequency response matches that of an ideal ...engineering.union.edu/ee_dept/ SeniorProjects/CpESeniorProjectPage-2003.htm - 9k - [Cached](#) - [Similar pages](#)**[PDF] An Evolutionary Computation Embedded IIR LMS Algorithm**File Format: PDF/Adobe Acrobat - [View as HTML](#)... capability by comparing with pure LMS and **genetic algorithm** implementations. ... Adapting the **filter coefficients** is done in regular intervals using evolutionary ...www.ece.utexas.edu/projects/ece/lca/ps/icspat99.pdf - [Similar pages](#)**[PDF] Genetic algorithm approach to fixed-order mixed H_{sub} 2//H_{sub} spl ...**File Format: PDF/Adobe Acrobat - [View as HTML](#)By employing the **genetic algorithm** to treat our mixed optimization problem, the **filter coefficients** are first coded to a binary string-cells chromo- some.www.ee.nthu.edu.tw/bschen/papers/s037-genetic.pdf - [Similar pages](#)**[PDF] Coefficient Sensitivity of Polynomial-Predictive FIR ...**File Format: PDF/Adobe Acrobat - [View as HTML](#)... is designed to strive for desired prediction and differentiation properties with **filter coefficients** quantized to eight bits. The **genetic algorithm** is in many ...
lib.hut.fi/Diss/2000/isbn9512256312/article2.pdf - [Similar pages](#)**[PPT] Filter Design Using Adaptive Genetic Algorithms**File Format: Microsoft Powerpoint 97 - [View as HTML](#)... is slow perturb the values of the **filter coefficients**. ... and KH Cho, "Recursive Adaptive Filter Design Using an Adaptive Genetic Algorithm," Proc.www.ee.nctu.edu.tw/~vdo-meeting/file/ vdo_2003_09_29_markliu_Filter%20Design%20Using%20GA.ppt - [Similar pages](#)**AMCA: An Example Of The Genetic Algorithm Usage for Human Vision ...**With the wavelet **filter coefficients** the wavelet transfer functions are determinited for and C we use modified GENOCOP III program based on **genetic algorithm**.at.yorku.ca/c/a/e/x/11.htm - 6k - [Cached](#) - [Similar pages](#)**[doc] GENETIC ALGORIGHM BASED DESIGN AND IMPLEMENTATION OF ...**File Format: Microsoft Word 2000 - [View as HTML](#)A unique **genetic algorithm** is developed to optimize **filter coefficients** such that the corresponding **filter**'s frequency response matches that of an ideal ...www.vu.union.edu/~robleec/capstone/ documentation/project_ANNIE_conference.doc - [Similar pages](#)**IIR Filter**... of-two **coefficients** using **Genetic Algorithm** (GA). For a desired 1-D stable **filter**, ie Chebychev or Butterworth **filter**, a 1-D **filter** whose **coefficients** are only ...

www.engineering.usu.edu/ece/research/chip/IRRfilter.htm - 19k - [Cached](#) - [Similar pages](#)

Loop Filter Identification


... these samples into recursive **filter coefficients** (available in ... for implementing Steiglitz-McBride IIR **filter** design. ... based on a **genetic algorithm** is described ...

www-ccrma.stanford.edu/~jos/pasp/Loop_Filter_Identification.html - 11k - [Cached](#) - [Similar pages](#)

Google ►

Result Page: [1](#) [2](#) [3](#) [4](#) [5](#) [6](#) [7](#) [8](#) [9](#) [10](#) [Next](#)


Free! Get the Google Toolbar. [Download Now](#) - [About Toolbar](#)



[Search within results](#) | [Language Tools](#) | [Search Tips](#) | [Dissatisfied? Help us improve](#)

[Google Home](#) - [Advertising Programs](#) - [Business Solutions](#) - [About Google](#)

©2005 Google



Web

Results 11 - 20 of about 9,810 for +"genetic algorithm" +filter +coefficients. (0.22 seconds)

Citations: Designing multiplierless digital filters using genetic ...

Efficient Genetic Algorithm Design for Power-of-Two FIR Filter - Gentili, Piazza ...
 is proposed in [10]; in this paper, the **filter coefficients** are directly coded ...
citeseer.ist.psu.edu/context/471328/0 - 22k - [Cached](#) - [Similar pages](#)

[PS] Royal Holloway, University of London, Egham Hill, Egham, Surrey ...

File Format: Adobe PostScript - [View as Text](#)
 From an initially randomised population of candidate sets of **filter coefficients**,
 the **genetic algorithm** iteratively applies selection and reproduction operators ...
www.sun.rhbnc.ac.uk/~uhap016/publications/iee_coll_93_ga.ps - [Similar pages](#)

[PDF] Digital IIR Filter Design Using Adaptive Simulated Annealing

File Format: PDF/Adobe Acrobat - [View as HTML](#)
 ... implemented recursively to update the **filter coefficients** as eachnewdata ... optimisation
 methods for digital IIR **filter** design, the **genetic algorithm** (GA) [3 ...
technology.kingston.ac.uk/momed/papers/IIRASA.pdf - [Similar pages](#)

[PDF] A Parameterisable IP Core for Reconfigurable DSP Applications

File Format: PDF/Adobe Acrobat - [View as HTML](#)
 ... to find an optimal solution as **filter** complexity increases. ... of each POF for a given
 set of **coefficients**. The **genetic algorithm** is also written in VHDL and is ...
www.see.ed.ac.uk/~SLIg/papers/SE_poster4.pdf - [Similar pages](#)

[PDF] $\sum \sum$

File Format: PDF/Adobe Acrobat - [View as HTML](#)
 ... employed evolutionary algorithms to optimise **coefficients** together with ... In [3] a
genetic algorithm was used to design an efficient non-linear **filter** for signal ...
www.cs.bham.ac.uk/~jfm/evoiasp99.pdf - [Similar pages](#)

[PDF] On the filtering properties of evolved gate arrays

File Format: PDF/Adobe Acrobat - [View as HTML](#)
 In particular one popular method for reducing the implementational complexity is
 to restrict the **filter coefficients** to integer **coefficients**, see [6] and ...
www.cs.bham.ac.uk/~jfm/eh99.pdf - Feb 3, 2005 - [Similar pages](#)
 [More results from www.cs.bham.ac.uk]

[PDF] Synthesize of Multilayer Passive Structures Using Genetic ...

File Format: PDF/Adobe Acrobat - [View as HTML](#)
 ... routines created in Matlab or **genetic algorithm** implementation. curve yellow colored
 considered all **coefficients** equal to ... Filter parameters are the same from [2 ...
emacademy.org/.../submit/get_testpdf.php?status=valid&id=041210223138&pdffilename=041210223138.pdf - [Similar pages](#)

[PDF] A 2-DIGIT DBNS FILTER ARCHITECTURE Σ

File Format: PDF/Adobe Acrobat - [View as HTML](#)
 ... mapping of infinite pre- cision **filter coefficients** to the half index domain archi-
 tecture used for the **filter**. 1-D FIR Filters with **Genetic Algorithm**," Proc ...
www.atips.ca/research/documents/ca/dbns/2000_2-Digit_DBNS.pdf - [Similar pages](#)

[Design of optimal shift-invariant orthonormal wavelet filter banks ...](#)

... is a new design method based on the **genetic algorithm** for the ... constrained optimisation problem, chromosome representation of **filter coefficients**, the shift ...

portal.acm.org/citation.cfm?id=959414.959420 - [Similar pages](#)

[\[PDF\] A Study of Non-Uniformity Correction Methods for Staring Array IR ...](#)

File Format: PDF/Adobe Acrobat - [View as HTML](#)

The mask is shown below. $D = 0.0114$ Scribner algorithm parameters optimised with a **genetic algorithm** This factor is then applied to the **filter coefficients**: ...

www.emrsdtc.com/downloads/pdf/tech_conf_papers/B08.pdf - [Similar pages](#)

◀ Goooooooooooooogle ▶


Result Page: [Previous](#) [1](#) [2](#) [3](#) [4](#) [5](#) [6](#) [7](#) [8](#) [9](#) [10](#) [11](#) [Next](#)

"genetic algorithm" +filter +coefficie

[Search within results](#) | [Language Tools](#) | [Search Tips](#)

[Google Home](#) - [Advertising Programs](#) - [Business Solutions](#) - [About Google](#)

©2005 Google

**Web**

Results 21 - 30 of about 9,810 for +"genetic algorithm" +filter +coefficients. (0.38 seconds)

[PDF] 2-Digit SummaryFile Format: PDF/Adobe Acrobat - [View as HTML](#)

... this does not turn out to be a problem since most of the **coefficients** are clustered at ... Fig. 3 shows a **filter** designed with a **genetic algorithm** for which ...

www.atips.ca/news/presentations/cas/ref22.pdf - [Similar pages](#)

[[More results from www.atips.ca](#)]

[PS] A Genetic Adaptive Algorithm for DataFile Format: Adobe PostScript - [View as Text](#)

In adapting equalizer **filter coefficients**, the **genetic algorithm** maintains a fixed-size population of structures, each one representing a set of **filter coeffi** ...

www.sun.rhbnc.ac.uk/~uhap016/publications/wcci.ps - [Similar pages](#)

[[More results from www.sun.rhbnc.ac.uk](#)]

OPTICAL REVIEW Vol. 10, No. 4 (2003) 251-254

... **genetic algorithm** has been used to find the optimal weighting **coefficients** for the wavelet and the matched filters that constitute the composite **filter**.

annex.jsap.or.jp/OSJ/opticalreview/TOC-Lists/vol10/10d0251tx.htm - 4k - [Cached](#) - [Similar pages](#)

An efficient local search method guided by gradient information ...

... digital **filter** using a parallel **genetic algorithm**, IEEE Trans ... method for finite wordlength digital **filter** design, Proc ... with powers-of-two **coefficients**, IEEE Trans ... portal.acm.org/citation.cfm?id=603310 - [Similar pages](#)

[[More results from portal.acm.org](#)]

[PDF] An Application of Genetic Programming to Electronic Design ...File Format: PDF/Adobe Acrobat - [View as HTML](#)

... from the evolutionary design of **filter coefficients**, proposed in ... to the low-level **filter** structure, and ... design methodology: the **genetic algorithm** produced the ... mago.crema.unimi.it/pub/RossiLiberaliTettamanzi2001.pdf - [Similar pages](#)

Citations: An improved search algorithm for the design of ...

... of- two **coefficients**," IEEE Trans. on Circuits and Systems, pp. 1044-1047, July 1989. Efficient **Genetic Algorithm** Design for Power-of-Two FIR **Filter** - Gentili ...

citeseer.ist.psu.edu/context/68313/0 - 37k - [Cached](#) - [Similar pages](#)

[[More results from citeseer.ist.psu.edu](#)]

[PDF] THE EFFECT OF THE METHODS USED TO SOLVE THE UNSTABILITY PROBLEM OF ...File Format: PDF/Adobe Acrobat - [View as HTML](#)

... and uni-modal according to the **filter coefficients**, Gradient based optimization methods for digital IIR **filter** design, the **genetic algorithm** (GA) seems ...

www.ijci.org/product/tainn/E03013.pdf - [Similar pages](#)

International Conferences

... A method for region segmentation with a **Genetic Algorithm**, International Conference

characteristics of ARMA four-line lattice **filter coefficients**, Proceedings of ...

vise.media.eng.hokudai.ac.jp/members/mikich/achieve2-e.html - 23k - [Cached](#) - [Similar pages](#)

[PDF] A Genetic Algorithm for the Inverse Problem in Synthesis of Fiber ...

File Format: PDF/Adobe Acrobat

[3], yielding smoother coupling **coefficients** than the SKAAR AND RISVIK: A **GENETIC ALGORITHM FOR THE INVERSE PROBLEM** ... of the genetic bandpass **filter**, (solid curve ... jlt.osa.org/ViewMedia.cfm?id=66502&seq=0 - [Similar pages](#)

[PS] [Evolving an Adaptive Digital Filter](#)

File Format: Adobe PostScript - [View as Text](#)

... generator is an adaptive algorithm that adjusts **filter coefficients** to meet changing conditions in the input signal -- in our case a **genetic algorithm** is used.

www.idi.ntnu.no/~pauline/homepg/eh00_art.ps - [Similar pages](#)

◀ Gooooooooooooogle ▶

Result Page: [Previous](#) [1](#) [2](#) [3](#) [4](#) [5](#) [6](#) [7](#) [8](#) [9](#) [10](#) [11](#) [12](#) [Next](#)

[Search within results](#) | [Language Tools](#) | [Search Tips](#)

[Google Home](#) - [Advertising Programs](#) - [Business Solutions](#) - [About Google](#)

©2005 Google

USPTO PATENT FULL-TEXT AND IMAGE DATABASE[Home](#)[Quick](#)[Advanced](#)[Pat Num](#)[Help](#)[Next List](#)[Bottom](#)[View Cart](#)*Searching 1976 to present...***Results of Search in 1976 to present db for:****(("genetic algorithm" AND filter) AND coefficients): 70 patents.****Hits 1 through 50 out of 70**[Final 20 Hits](#)[Jump To](#)[Refine Search](#)

"genetic algorithm" and filter and coefficients

PAT. NO. Title

- 1 [6,850,252](#) **T** [Intelligent electronic appliance system and method](#)
- 2 [6,819,746](#) **T** [Expert system for loop qualification of XDSL services](#)
- 3 [6,787,747](#) **T** [Fast phase diversity wavefront correction using a neural network](#)
- 4 [6,781,706](#) **T** [Method and apparatus for multidomain data analysis](#)
- 5 [6,763,322](#) **T** [Method for enhancement in screening throughput](#)
- 6 [6,760,372](#) **T** [Adaptive signal processor using an eye-diagram metric](#)
- 7 [6,757,667](#) **T** [Method for optimizing formulations](#)
- 8 [6,744,927](#) **T** [Data communication control apparatus and its control method, image processing apparatus and its method, and data communication system](#)
- 9 [6,741,937](#) **T** [Methods and systems for estimating binding affinity](#)
- 10 [6,738,499](#) **T** [System for detection of malignancy in pulmonary nodules](#)
- 11 [6,737,918](#) **T** [Distortion compensation apparatus](#)
- 12 [6,716,175](#) **T** [Autonomous boundary detection system for echocardiographic images](#)
- 13 [6,701,236](#) **T** [Intelligent mechatronic control suspension system based on soft computing](#)
- 14 [6,700,304](#) **T** [Active/passive distributed absorber for vibration and sound radiation control](#)
- 15 [6,689,064](#) **T** [Ultrasound clutter filter](#)
- 16 [6,687,554](#) **T** [Method and device for controlling optimization of a control subject](#)
- 17 [6,665,446](#) **T** [Image processing apparatus and method](#)
- 18 [6,650,779](#) **T** [Method and apparatus for analyzing an image to detect and identify patterns](#)
- 19 [6,643,597](#) **T** [Calibrating a test system using unknown standards](#)
- 20 [6,622,560](#) **T** [Ultrasound imaging method and apparatus based on pulse compression technique using a spread](#)

spectrum signal

21 6,601,051 T Neural systems with range reducers and/or extenders
22 6,564,117 T Automated optimization of cross machine direction profile control performance for sheet making processes
23 6,532,076 T Method and apparatus for multidomain data analysis
24 6,529,816 T Evolutionary controlling system for motor
25 6,523,016 T Learnable non-darwinian evolution
26 6,487,516 T System for three dimensional positioning and tracking with dynamic range extension
27 6,411,946 T Route optimization and traffic management in an ATM network using neural computing
28 6,411,373 T Fiber optic illumination and detection patterns, shapes, and locations for use in spectroscopic analysis
29 6,408,227 T System and method for controlling effluents in treatment systems
30 6,346,124 T Autonomous boundary detection system for echocardiographic images
31 6,336,050 T Method and apparatus for iteratively optimizing functional outputs with respect to inputs
32 6,316,934 T System for three dimensional positioning and tracking
33 6,303,303 T Method and system for DNA sequence determination and mutation detection
34 6,278,986 T Integrated controlling system
35 6,278,962 T Hybrid linear-neural network process control
36 6,272,479 T Method of evolving classifier programs for signal processing and control
37 6,259,389 T System for designing and testing a sigma-delta modulator using response surface techniques
38 6,251,620 T Three dimensional structure of a ZAP tyrosine protein kinase fragment and modeling methods
39 6,246,972 T Analyzer for modeling and optimizing maintenance operations
40 6,223,133 T Method for optimizing multivariate calibrations
41 6,223,101 T District heat supply plant controller
42 6,219,622 T Computational method for designing chemical structures having common functional characteristics
43 6,205,236 T Method and system for automated detection of clustered microcalcifications from digital mammograms
44 6,157,894 T Liquid gauging using sensor fusion and data fusion
45 6,154,705 T System for attenuating high order free surface multiples from a seismic shot record using a genetic procedure
46 6,148,274 T Optimization adjusting method and optimization adjusting apparatus
47 6,137,898 T Gabor filtering for improved microcalcification detection in digital mammograms
48 6,128,346 T Method and apparatus for quantizing a signal in a digital system
49 6,110,214 T Analyzer for modeling and optimizing maintenance operations
50 6,107,963 T Adaptive array antenna

[Next List](#)[Top](#)[View Cart](#)[Home](#)[Quick](#)[Advanced](#)[Pat Num](#)[Help](#)

USPTO PATENT FULL-TEXT AND IMAGE DATABASE[Home](#)[Quick](#)[Advanced](#)[Pat Num](#)[Help](#)[Prev. List](#)[Bottom](#)[View Cart](#)*Searching 1976 to present...***Results of Search in 1976 to present db for:****(("genetic algorithm" AND filter) AND coefficients): 70 patents.****Hits 51 through 70 out of 70**[Prev. 50 Hits](#)[Jump To](#)[Refine Search](#)

"genetic algorithm" and filter and coefficients

PAT.
NO.

Title

51 6,078,680 T Method, apparatus, and storage medium for detection of nodules in biological tissue using wavelet snakes to characterize features in radiographic images

52 6,004,015 T Optimization adjusting method and optimization adjusting apparatus

53 5,999,639 T Method and system for automated detection of clustered microcalcifications from digital mammograms

54 5,953,446 T Method and apparatus for optical data analysis

55 5,949,989 T Method of designing and developing engine induction systems which minimize engine source noise

56 5,940,825 T Adaptive similarity searching in sequence databases

57 5,912,821 T Vibration/noise control system including adaptive digital filters for simulating dynamic characteristics of a vibration/noise source having a rotating member

58 5,877,954 T Hybrid linear-neural network process control

59 5,864,633 T Method and apparatus for optical data analysis

60 5,853,979 T Method and system for DNA sequence determination and mutation detection with reference to a standard

61 5,838,832 T Method and system for representing a data set with a data transforming function and data mask

62 5,819,244 T Adaptive computing systems, computer readable memories and processes employing hyperlinear chromosomes

63 5,815,198 T Method and apparatus for analyzing an image to detect and identify defects

64 5,761,383 T Adaptive filtering neural network classifier

65 5,750,994 T Positive correlation filter systems and methods of use thereof

66 5,745,382 T Neural network based system for equipment surveillance

67 5,699,268 T Computational method for designing chemical structures having common functional characteristics

68 5,694,474  Adaptive filter for signal processing and method therefor

69 5,649,065  Optimal filtering by neural networks with range extenders and/or reducers

70 5,517,463  Method of determining optimal seismic multistreamer spacing

[Prev. List](#)[Top](#)[View Cart](#)[Home](#)[Quick](#)[Advanced](#)[Pat Num](#)[Help](#)